

Blender/Mixer

Isselbaecher
kitchen equipment GmbH

1G908 	bar blender Isselbaecher 1G908 Dimensions : x x 380 mm connection : 0,8 kW - 230/1/50 170 mm diameter. 1 plastic mounted frame 1,3 l
1G909 	bar blender Isselbaecher 1G909 Dimensions : x x 380 mm connection : 0,84 kW - 230/1/50 with s/s jug 0,95 ltrs. stainless, lid in 2 parts 4 stainless cross knives impulse switch 2 speeds 14000 and 18000 rpm.
FR 2002 	bar blender Isselbaecher FR 2002 Dimensions : 150 x 150 x 450 mm connection : 0,20 kW - 230/1/50 - 1 glass cup with knife - engine with 2 speeds - max. 15.000 rpm execution : Aluminium
1G911 	bar blender Isselbaecher 1G911 connection : 3,2 kW - 230/1/50 with s/s cup 2,0 ltrs. lid consisting of two parts 4 stainless cross knives impulse switch 2 speed 10500 and 13000 rpm
FR 2003 	bar blender Isselbaecher FR 2003 Dimensions : 300 x 140 x 440 mm - 2 motors connection : ea. 0,20 kW - 230/1/50-60 - 2 glass cups, 1x knife, 1x cone - motors with 2 speeds - max. 15.000 rpm execution : Aluminium
FR 2003/L 	bar blender Isselbaecher FR 2003/L Dimensions : 300 x 140 x 470 mm - 2 motors connection : ea. 0,20 kW - 230/1/50-60 - 2 mugs s/s, 1 knife, 1 cone - motors with 2 speeds - max. 15.000 rpm execution : Aluminium

Blender/Mixer

Isselbaecher
kitchen equipment GmbH

GT95-2ltr-P. 	bar blender Isselbaecher GT95-2ltr-P Dimensions : x x 525 mm connection : 0,8 kw - 230/1/50 - content : 2 ltrs. - speed : 500-17.000 rpm - stepless adjustable - opening in lid for filling, - lockable mixer container : .. Polycarbonat
GT95-2ltr-E. 	bar blender Isselbaecher GT95-2ltr-E Dimensions : x x 525 mm connection : 0,8 kw - 230/1/50 - content : 2 ltrs. - speed : 500-17.000 rpm - stepless adjustable - opening in lid for filling, - lockable mixer container : s/s
GT95-4ltr-P. 	blender Isselbaecher GT95-4ltr.-P Dimensions : x x 525 mm connection : 0,8 kw - 230/1/50 - content : 4 ltrs. - speed : 500-17.000 rpm - stepless adjustable - opening in lid for filling, - lockable mixer container : .. Polycarbonat
GT95-4ltr-E. 	blender Isselbaecher GT95-4ltr-E Dimensions : x x 525 mm connection : 0,8 kw - 230/1/50 - content : 4 ltrs. - speed : 500-17.000 rpm - stepless adjustable - opening in lid for filling, - lockable mixer container : s/s
SB-4 	blender Isselbaecher SB-4 Dimensions : 270 x 365 x 445 mm connection : 1,0 kW - 230/1/50-60 cycles - 260 mm diam. - 1 Polycarbonat container content : 4 ltrs. - with measuring scale - lid with filler hole - electronic rotation speed control - 700 - 15.000 rpm - separate switch for SprinterPuls function

Blender/Mixer

Isselbaecher
kitchen equipment GmbH

GR 2014



barblender-combination
Isselbaecher
GR 2014

Dimensions : 530 x 250 x 540 mm
connection : 0,45 kW - 230/1/50-60 Hz
0,20 kW - 230/1/50-60 Hz

consisting of:
1 central motor
1 blender
1 juice extractor
1 ice crusher

execution: housing made of aluminium

1G936



bar mixer
Isselbaecher
1G936

Dimensions : 170 x 175 x 500 mm
connection : 0,1 kW - 230/1/50

with 3 speeds.
rpm: 13.000/16.000/18.000
machine complete with 1 m cord,
shock-proof-plug and cup.
cup in stainless execution.

1G950



bar mixer
Isselbaecher
1G950

Dimensions : 420 x 210 x 510 mm
connection : 0,35 KW - 230/1/50

with 3 stirrers
with 3 speeds.
rpm.: 13.000/16.000/18.000.