




















<p>Percostar 3</p> 	<p>coffee machine Isselbaecher Percostar 3</p> <p>Dimensions : 230 x x 480 mm connection : 1,5 kW - 230/1/50</p> <ul style="list-style-type: none"> <li>- half automatic coffee machine</li> <li>- with control gauge and no-drip-tap</li> <li>- capacity : 24 cups/hr.</li> <li>- without water connection</li> </ul> <p>execution : stainless steel</p>
<p>01012</p> 	<p>round filter paper Isselbaecher 01012</p> <ul style="list-style-type: none"> <li>- only necessary for fine grounded coffee</li> <li>- 500 pcs. 195 mm diam.</li> </ul> <p>for Percolator 3 as well as 6.5</p>
<p>Percostar 6,5</p> 	<p>coffee machine Isselbaecher Percostar 6,5</p> <p>Dimensions : 230 x x 480 mm connection : 1,5 kW - 230/1/50</p> <ul style="list-style-type: none"> <li>- half automatic coffee machine</li> <li>- with control gauge and no-drip-tap</li> <li>- capacity : 50 cups/hr.</li> <li>- without water connection</li> </ul> <p>execution : stainless steel</p>
<p>01012</p> 	<p>round filter paper Isselbaecher 01012</p> <ul style="list-style-type: none"> <li>- only necessary for fine grounded coffee</li> <li>- 500 pcs. 195 mm diam.</li> </ul> <p>for Percolator 3 as well as 6.5</p>
<p>Percostar 12</p> 	<p>coffee machine Isselbaecher Percostar 12</p> <p>Dimensions : 275 x x 540 mm connection : 1,5 kW - 230/1/50</p> <ul style="list-style-type: none"> <li>- half automatic coffee machine</li> <li>- with control gauge and no-drip-tap</li> <li>- capacity : 96 cups/hr.</li> <li>- without water connection</li> </ul> <p>execution : stainless steel</p>
<p>01067</p> 	<p>round filter paper Isselbaecher 01067</p> <ul style="list-style-type: none"> <li>- only necessary for fine grounded coffee</li> <li>- 500 pcs. 195 mm diam.</li> </ul> <p>for Percolator 3 as well as 6.5</p>

<p>Percostar 15</p> 	<p>coffee machine Isselbaecher Percostar 15</p> <p>Dimensions : 275 x x 600 mm connection : 1,5 kW - 230/1/50</p> <ul style="list-style-type: none"> <li>- half automatic coffee machine</li> <li>- with control gauge and no-drip-tap</li> <li>- capacity : 120 cups/hr.</li> <li>- without water connection</li> </ul> <p>execution : stainless steel</p>
<p>01067</p> 	<p>round filter paper Isselbaecher 01067</p> <ul style="list-style-type: none"> <li>- only necessary for fine ground coffee</li> <li>- 500 pcs. 195 mm diam.</li> </ul> <p>for Percolator 3 as well as 6.5</p>
<p>CB 1x5R</p> 	<p>coffee and tea machine Isselbaecher CB 1x5R</p> <p>Dimensions : 530 x 465 x 695 mm connection : 3,2 kW - 230/1/50-60</p> <ul style="list-style-type: none"> <li>- capacity : 30 ltrs./hr - 240 cups/hr</li> <li>- heated, removable container left side</li> </ul> <ul style="list-style-type: none"> <li>- control of volume with flexible programming</li> <li>- timer</li> <li>- descale indication</li> <li>- filter holder with integrated filter insert</li> <li>- direct water connection</li> <li>- can be used in dish washers</li> </ul> <p>accessories : 1 basket filter insert, 1 coffee mixer drip tray with grid</p> <p>execution: housing stainless steel steel</p>
<p>80342</p> 	<p>permanent filter 5 l 80342 Nylon basket permanent filter CB 5 ltrs.</p>
<p>CB 1x5L</p> 	<p>coffee and tea machine Isselbaecher CB 1x5L</p> <p>Dimensions : 530 x 465 x 695 mm connection : 3,2 kW - 230/1/50-60</p> <ul style="list-style-type: none"> <li>- capacity : 30 ltrs./hr - 240 cups/hr</li> <li>- heated, removable container left side</li> <li>- control of volume with flexible programming</li> <li>- timer</li> <li>- descale indication</li> <li>- filter holder with integrated filter insert</li> <li>- direct water connection</li> <li>- can be used in dish washers</li> </ul> <p>accessories : 1 basket filter insert, 1 coffee mixer</p>

	<p>drip tray with grid</p> <p>execution: housing stainless steel steel</p>
<p>80342</p> 	<p>permanent filter 5 l 80342 Nylon basket permanent filter CB 5 ltrs.</p>
<p>CB 1x5WR</p> 	<p>coffee and tea machine Isselbaecher CB 1x5WR</p> <p>Dimensions : 530 x 465 x 695 mm connection : 5,4 kW - 400/1/50</p> <ul style="list-style-type: none"> <li>- capacity : 30 ltrs./hr - 240 cups/hr hot water 22 l/h</li> <li>- heated, removable container left side</li> <li>- control of volume with flexible programming</li> <li>- no-drip tap for hot water at front</li> <li>- timer</li> <li>- descale indication</li> <li>- filter holder with integrated filter insert</li> <li>- direct water connection</li> <li>- can be used in dish washers</li> </ul> <p>accessories : 1 basket filter insert, 1 coffee mixer drip tray with grid</p> <p>execution: housing stainless steel steel</p>
<p>80342</p> 	<p>permanent filter 5 l Isselbaecher 80342</p> <p>Nylon basket permanent filter CB 5 ltrs.</p>
<p>CB 1x5WL</p> 	<p>coffee and tea machine Isselbaecher CB 1x5WL</p> <p>Dimensions : 530 x 465 x 695 mm connection : 5,4 kW - 400/1/50</p> <ul style="list-style-type: none"> <li>- capacity : 30 ltrs./hr - 240 cups/hr hot water 22 l/h</li> <li>- heated, removable container left side</li> <li>- control of volume with flexible programming</li> <li>- no-drip tap for hot water at front</li> <li>- timer</li> <li>- descale indication</li> <li>- filter holder with integrated filter insert</li> <li>- direct water connection</li> <li>- can be used in dish washers</li> </ul> <p>accessories : 1 basket filter insert, 1 coffee mixer drip tray with grid</p> <p>execution: housing stainless steel steel</p>

<p>80342</p> 	<p>permanent filter 5 l Isselbaecher 80342</p> <p>Nylon basket permanent filter CB 5 ltrs.</p>
<p>CB 1x10R</p> 	<p>coffee and tea machine Isselbaecher CB 1x10R</p> <p>Dimensions : 599 x 465 x 785 mm connection : 6,2 kW - 400/3/50-60</p> <ul style="list-style-type: none"> <li>- capacity : 60 ltrs./hr - 480 cups/hr</li> <li>- heated, removable container at right hand side</li> <li>- control of volume with flexible programming</li> <li>- Zeituhr- Entkalkungsanzeige</li> <li>- filter holder with integrated filter insert</li> <li>- direct water connection</li> <li>- can be used in dish washers</li> </ul> <p>accessories : 2 basket filter inserts, 2 coffee mixers drip tray with grid</p> <p>execution: housing stainless steel steel</p>
<p>80352</p> 	<p>permanent filter 10 l Isselbaecher 80352</p> <p>Nylon basket permanent filter CM 10 ltrs.</p>
<p>CB 1x10L</p> 	<p>coffee and tea machine Isselbaecher CB 1x10L</p> <p>Dimensions : 599 x 465 x 785 mm connection : 6,2 kW - 400/3/50-60</p> <ul style="list-style-type: none"> <li>- capacity : 60 ltrs./hr - 480 cups/hr</li> <li>- heated, removable container left side</li> <li>- control of volume with flexible programming</li> <li>- timer</li> <li>- descale indication</li> <li>- filter holder with integrated filter insert</li> <li>- direct water connection</li> <li>- can be used in dish washers</li> </ul> <p>accessories : 2 basket filter inserts, 2 coffee mixers drip tray with grid</p> <p>execution: housing stainless steel steel</p>
<p>80352</p> 	<p>permanent filter 10 l Isselbaecher 80352</p> <p>Nylon basket permanent filter CM 10 ltrs.</p>

<p>CB 1x10WR</p> 	<p>coffee and tea machine Isselbaecher CB 1x10WR</p> <p>Dimensions : 599 x 465 x 785 mm connection : 8,4 kW - 400/3/50</p> <ul style="list-style-type: none"> <li>- capacity : 60 ltrs./hr - 480 cups/hr hot water 22 l/h</li> <li>- heated, removable container at right hand side</li> <li>- control of volume with flexible programming</li> <li>- no-drip tap for hot water at front</li> <li>- timer</li> <li>- descale indication</li> <li>- filter holder with integrated filter insert</li> <li>- direct water connection</li> <li>- can be used in dish washers</li> </ul> <p>accessories : 2 basket filter inserts, 2 coffee mixers drip tray with grid</p> <p>execution: housing stainless steel steel</p>
<p>80352</p> 	<p>permanent filter 10 l Isselbaecher 80352</p> <p>Nylon basket permanent filter CM 10 ltrs.</p>
<p>CB 1x10WL</p> 	<p>coffee and tea machine Isselbaecher CB 1x10WL</p> <p>Dimensions : 599 x 465 x 785 mm connection : 8,4 kW - 400/3/50</p> <ul style="list-style-type: none"> <li>- capacity : 60 ltrs./hr - 480 cups/hr hot water 22 l/h</li> <li>- heated, removable container left side</li> <li>- control of volume with flexible programming</li> <li>- no-drip tap for hot water at front</li> <li>- timer</li> <li>- descale indication</li> <li>- filter holder with integrated filter insert</li> <li>- direct water connection</li> <li>- can be used in dish washers</li> </ul> <p>accessories : 2 basket filter inserts, 2 coffee mixers drip tray with grid</p> <p>execution: housing stainless steel steel</p>
<p>80352</p> 	<p>permanent filter 10 l Isselbaecher 80352</p> <p>Nylon basket permanent filter CM 10 ltrs.</p>

CB 1x20R



coffee and tea machine  
Isselbaecher  
CB 1x20R

Dimensions : 653 x 500 x 890 mm  
connection : 9,8 kW - 400/3/50-60

- capacity : 90 ltrs./hr - 720 cups/hr
- heated, removable container at right hand side
- control of volume with flexible programming
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be used in dish washers

accessories :  
2 basket filter inserts, 2 coffee mixers  
drip tray with grid

execution: housing stainless steel  
steel

80362



permanent filter 20 l  
Isselbaecher  
80362

Nylon basket permanent filter CB 20 ltrs.

CB 1x20L



coffee and tea machine  
Isselbaecher  
CB 1x20L

Dimensions : 653 x 500 x 890 mm  
connection : 9,8 kW - 400/3/50-60

- capacity : 90 ltrs./hr - 720 cups/hr
- heated, removable container left side
- control of volume with flexible programming
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be used in dish washers

accessories :  
2 basket filter inserts, 2 coffee mixers  
drip tray with grid

execution: housing stainless steel  
steel

80362



permanent filter 20 l  
Isselbaecher  
80362

Nylon basket permanent filter CB 20 ltrs.

CB 1x20WR



coffee and tea machine  
Isselbaecher  
CB 1x20WR

Dimensions : 653 x 500 x 890 mm  
connection : 11,4 kW - 400/1/50-60

- capacity : 90 ltrs./hr - 720 cups/hr
- hot water 22 l/h
- heated, removable container at right hand side
- control of volume with flexible programming
- no-drip tap for hot water at front
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be used in dish washers

accessories :  
2 basket filter inserts, 2 coffee mixers  
drip tray with grid

execution: housing stainless steel  
steel

80362



permanent filter 20 l  
Isselbaecher  
80362

Nylon basket permanent filter CB 20 ltrs.

CB 1x20WL



coffee and tea machine  
Isselbaecher  
CB 1x20WL

Dimensions : 653 x 500 x 890 mm  
connection : 11,4 kW - 400/1/50-60

- capacity : 90 ltrs./hr - 720 cups/hr
- hot water 22 l/h
- heated, removable container left side
- control of volume with flexible programming
- no-drip tap for hot water at front
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be used in dish washers

accessories :  
2 basket filter inserts, 2 coffee mixers  
drip tray with grid

execution: housing stainless steel  
steel

80362



permanent filter 20 l  
Isselbaecher  
80362

Nylon basket permanent filter CB 20 ltrs.

CB 1x40R



coffee and tea machine  
Isselbaecher  
CB 1x40R

Dimensions : 765 x 685 x 970 mm  
connection : 18,2 kW - 400/3/50

- capacity : 160 ltrs./hr - 1280 cups/hr
- heated, removable container at right hand side
- control of volume with flexible programming
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be used in dish washers

accessories :  
1 basket filter insert, 1 coffee mixer  
drip tray with grid

execution: housing stainless steel  
steel

CB 1x40L



coffee and tea machine  
Isselbaecher  
CB 1x40L

Dimensions : 765 x 685 x 970 mm  
connection : 18,2 kW - 400/3/50

- capacity : 160 ltrs./hr - 1280 cups/hr
- heated, removable container at right hand side
- control of volume with flexible programming
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be used in dish washers

accessories :  
1 basket filter insert, 1 coffee mixer  
drip tray with grid

execution: housing stainless steel  
steel

CB 2x5



coffee and tea machine  
Isselbaecher  
CB 2x5

Dimensions : 770 x 465 x 695 mm  
connection : 3,2 kW - 230/1/50-60

- capacity : 30 ltrs./hr - 240 cups/hr
- 2 heated removable containers
- control of volume with flexible programming
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be used in dish washers

accessories :  
2 basket filter inserts, 2 coffee mixers  
drip tray with grid

execution: housing stainless steel  
steel



CB 2x5 (400)



coffee and tea machine  
Isselbaecher  
CB 2x5

Dimensions : 770 x 465 x 695 mm  
connection : 3,2 kW - 400/3/50

- capacity : 30 ltrs./hr - 240 cups/hr
- 2 heated removable containers
- control of volume with flexible programming
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be used in dish washers

accessories :  
2 basket filter inserts, 2 coffee mixers  
drip tray with grid

execution: housing stainless steel  
steel

CB 2x5W



coffee and tea machine  
Isselbaecher  
CB 2x5W

Dimensions : 770 x 465 x 695 mm  
connection : 5,4 kW - 400/3/50

- capacity : 30 ltrs./hr - 240 cups/hr
- hot water 22 l/h
- 2 heated removable containers
- control of volume with flexible programming
- no-drip tap for hot water at front
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be used in dish washers

accessories :  
2 basket filter inserts, 2 coffee mixers  
drip tray with grid

execution: housing stainless steel  
steel

CB 2x10



coffee and tea machine  
Isselbaecher  
CB 2x10

Dimensions : 907 x 465 x 785 mm  
connection : 6,2 kW - 400/3/50-60

- capacity : 60 ltrs./hr - 480 cups/hr
- 2 heated removable containers
- control of volume with flexible programming
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be used in dish washers

accessories :  
2 basket filter inserts, 2 coffee mixers  
drip tray with grid

execution: housing stainless steel  
steel

CB 2x10W



coffee and tea machine  
Isselbaecher  
CB 2x10W

Dimensions : 907 x 465 x 785 mm  
connection : 8,4 kW - 400/3/50

- capacity : 60 ltrs./hr - 480 cups/hr
- hot water 22 l/h
- 2 heated removable containers
- control of volume with flexible programming
- no-drip tap for hot water at front
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be unsed in dish washers

accessories :  
2 basket filter inserts, 2 coffee mixers  
drip tray with grid

execution: housing stainless steel  
steel

CB 2x20



coffee and tea machine  
Isselbaecher  
CB 2x20

Dimensions : 1015 x 500 x 890 mm  
connection : 9,8 kW - 400/3/50-60

- capacity : 90 ltrs./hr - 720 cups/hr
- 2 heated removable containers
- control of volume with flexible programming
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be unsed in dish washers

accessories :  
2 basket filter inserts, 2 coffee mixers  
drip tray with grid

execution: housing stainless steel  
steel

CB 2x20W



coffee and tea machine  
Isselbaecher  
CB 2x20W

Dimensions : 1015 x 500 x 890 mm  
connection : 11,4 kW - 400/1/50-60

- capacity : 90 ltrs./hr - 720 cups/hr
- hot water 22 l/h
- 2 heated removable containers
- control of volume with flexible programming
- no-drip tap for hot water at front
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be unsed in dish washers

accessories :  
2 basket filter inserts, 2 coffee mixers  
drip tray with grid

execution: housing stainless steel  
steel

CB 2x40



coffee and tea machine  
Isselbaecher  
CB 2x40

Dimensions : 1240 x 685 x 970 mm  
connection : 18,2 kW - 400/3/50

- capacity : 160 ltrs./hr - 1280 cups/hr
- 2 heated removable containers
- control of volume with flexible programming
- timer
- descale indication
- filter holder with integrated filter insert
- direct water connection
- can be unsed in dish washers

accessories :  
2 basket filter inserts, 2 coffee mixers  
drip tray with grid

execution: housing stainless steel  
steel