

barrel cooler

FK 2 R-XL + FKM 1



barrel cooler
Isselbaecher
FK 2 R-XL + FKM 1

Dimensions : 1060 x 730 x 1365 mm
connection : 0,43 kW - 230/1/50

- capacity : up to 3 x 50 ltr. barrels
- including top mounted cooling machine with escort cooling
- temperatur range : +2/+8°C
- electronic control with digital controller
- automatic defrosting and thaw water evaporation,

execution :
mild steel, s/s design

FK 2 R-XL + FKM 1 CN



barrel cooler
Isselbaecher
FK 2 R-XL + FKM 1 CNS

Dimensions : 1060 x 730 x 1365 mm
connection : 0,43 kW - 230/1/50

- capacity : up to 3 x 50 ltr. barrels
- including top mounted cooling machine with escort cooling
- temperatur range : +2/+8°C
- electronic control with digital controller
- automatic defrosting and thaw water evaporation,

execution : stainless steel

FK 3 R-XL + FKM 1



barrel cooler
Isselbaecher
FK 3 R-XL + FKM 1

Dimensions : 1465 x 730 x 1365 mm
connection : 0,43 kW - 230/1/50

- capacity : up to 3 x 50 ltr. barrels
- including top mounted cooling machine with escort cooling
- temperatur range : +2/+8°C
- electronic control with digital controller
- automatic defrosting and thaw water evaporation,

execution :
mild steel, s/s design

FK 3 R-XL + FKM 1 CN



barrel cooler
Isselbaecher
FK 3 R-XL + FKM 1 CNS

Dimensions : 1465 x 730 x 1365 mm
connection : 0,43 kW - 230/1/50

- capacity : up to 3 x 50 ltr. barrels
- including top mounted cooling machine with escort cooling
- temperatur range : +2/+8°C
- electronic control with digital controller
- automatic defrosting and thaw water evaporation,

execution : stainless steel

barrel cooler

<p>FK 4 R-XL + FKM 1</p> 	<p>barrel cooler Isselbaecher FK 4 R-XL + FKM 1</p> <p>Dimensions : 1870 x 730 x 1365 mm connection : 0,43 kW - 230/1/50</p> <ul style="list-style-type: none"> - capacity : up to 4 x 50 ltr. barrels - including top mounted cooling machine with escort cooling - temperatur range : +2/+8°C - electronic control with digital controller - automatic defrosting and thaw water evaporation, <p>execution : mild steel, s/s design</p>
<p>FK 4 XL + FKM 2 CNS</p> 	<p>barrel cooler Isselbaecher FK 4 XL + FKM 2 CNS</p> <p>Dimensions : 1060 x 995 x 1365 mm connection : 0,43 kW - 230/1/50</p> <ul style="list-style-type: none"> - capacity : up to 4 x 50 ltr. barrels - including top mounted cooling machine with escort cooling - temperatur range : +2/+8°C - electronic control with digital controller - automatic defrosting and thaw water evaporation, <p>execution : stainless steel</p>
<p>FK 4 XL + FKM 2</p> 	<p>barrel cooler Isselbaecher FK 4 XL + FKM 2</p> <p>Dimensions : 1060 x 995 x 1365 mm connection : 0,43 kW - 230/1/50</p> <ul style="list-style-type: none"> - capacity : up to 4 x 50 ltr. barrels - including top mounted cooling machine with escort cooling - temperatur range : +2/+8°C - electronic control with digital controller - automatic defrosting and thaw water evaporation, <p>execution : mild steel, s/s design</p>
<p>FK 4 XL + FKM 2 CNS</p> 	<p>barrel cooler Isselbaecher FK 4 XL + FKM 2 CNS</p> <p>Dimensions : 1060 x 995 x 1365 mm connection : 0,43 kW - 230/1/50</p> <ul style="list-style-type: none"> - capacity : up to 4 x 50 ltr. barrels - including top mounted cooling machine with escort cooling - temperatur range : +2/+8°C - electronic control with digital controller - automatic defrosting and thaw water evaporation, <p>execution : stainless steel</p>

barrel cooler

<p>FK 6 XL + FKM 2</p> 	<p>barrel cooler Isselbaecher FK 6 XL + FKM 2</p> <p>Dimensions : 1465 x 995 x 1365 mm connection : 0,43 kW - 230/1/50</p> <ul style="list-style-type: none"> - capacity : up to 6 x 50 ltr. barrels - including top mounted cooling machine with escort cooling - temperatur range : +2/+8°C - electronic control with digital controller - automatic defrosting and thaw water evaporation, <p>execution : mild steel, s/s design</p>
<p>FK 6 XL + FKM 2 CNS</p> 	<p>barrel cooler Isselbaecher FK 6 XL + FKM 2 CNS</p> <p>Dimensions : 1465 x 995 x 1365 mm connection : 0,43 kW - 230/1/50</p> <ul style="list-style-type: none"> - capacity : up to 6 x 50 ltr. barrels - including top mounted cooling machine with escort cooling - temperatur range : +2/+8°C - electronic control with digital controller - automatic defrosting and thaw water evaporation, <p>execution : stainless steel</p>
<p>FK 8 XL + FKM 2</p> 	<p>barrel cooler Isselbaecher FK 8 XL + FKM 2</p> <p>Dimensions : 1870 x 995 x 1365 mm connection : 0,43 kW - 230/1/50</p> <ul style="list-style-type: none"> - capacity : up to 8 x 50 ltr. barrels - including top mounted cooling machine with escort cooling - temperatur range : +2/+8°C - electronic control with digital controller - automatic defrosting and thaw water evaporation, <p>execution : mild steel, s/s design</p>
<p>FK 8 XL + FKM 2 CNS</p> 	<p>barrel cooler Isselbaecher FK 8 XL + FKM 2 CNS</p> <p>Dimensions : 1870 x 995 x 1365 mm connection : 0,43 kW - 230/1/50</p> <ul style="list-style-type: none"> - capacity : up to 8 x 50 ltr. barrels - including top mounted cooling machine with escort cooling - temperatur range : +2/+8°C - electronic control with digital controller - automatic defrosting and thaw water evaporation, <p>execution : stainless steel</p>