


floor scale

Isselbaecher
kitchen equipment GmbH


GM 150 CA 	floor scale Isselbaecher GM 150 CA Dimensions : 600 x 830 x 1730 mm round head scale capacity : 150 kg scale division: 50 g platform dim. : 600 x 670 mm execution: housing enamelled platform stainless steel
GM 200 CA 	floor scale Isselbaecher GM 200 CA Dimensions : 600 x 830 x 1730 mm round head scale capacity : 200 kg scale division: 100 g platform dim. : 600 x 670 mm execution: housing enamelled platform stainless steel
GM 100 CA 	floor scale Isselbaecher GM 100 CA Dimensions : 600 x 830 x 1730 mm round head scale capacity : 100 kg scale division: 50 g platform dim. : 600 x 670 mm execution: housing enamelled platform stainless steel
GM 300 B 	floor scale Isselbaecher GM 300 B Dimensions : 710 x 1180 x 1620 mm round head scale capacity : 300 kg scale division: 100 g platform dim. : 710 x 906 mm execution: lacquered
GM 500 B 	floor scale Isselbaecher GM 500 B Dimensions : 810 x 1180 x 1620 mm round head scale capacity : 500 kg scale division: 200 g platform dim. : 800 x 900 mm execution: commercial
GM 1000 B 	floor scale Isselbaecher GM 1000 B Dimensions : 1010 x 1180 x 1620 mm round head scale capacity : 1000 kg scale division: 500 g platform dim. : 800 x 900 mm execution: lacquered

floor scale

Isselbaecher
kitchen equipment GmbH

GM BOX 500 	floor scale Isselbaecher GM BOX 500 Dimensions : 1215 x 1475 x 1670 mm round head scale capacity : 500 kg scale division: 200 g platform dim. : 1200 x 1200 mm execution: lacquered
GM BOX 1000 	floor scale Isselbaecher GM BOX 1000 Dimensions : 1515 x 1775 x 1670 mm round head scale capacity : 1000 kg scale division: 500 g platform dim. : 1500 x 1500 mm execution: lacquered
GM BOX 1500 	floor scale Isselbaecher GM BOX 1500 Dimensions : 1515 x 1775 x 1670 mm round head scale capacity : 1500 kg scale division: 500 g platform dim. : 1500 x 1500 mm execution: lacquered
G4 BOX 2000 	floor scale Isselbaecher G4 BOX 2000 Dimensions : 1515 x 1775 x 1920 mm round head scale capacity : 2000 kg scale division: 500 g platform dim. : 1500 x 1500 mm execution: lacquered
833B/150 	electronic floor scale Isselbaecher 833B/150 connection : 0,0015 kW - 230/1/50-60 capacity : 150 kg cypher steps : up to 60 kg - 20 g from 60 kg/50 g platform dim. : 500 x 400 mm display unit net operation execution : housing and platform made of stainless steel
834B/150 	electronic floor scale Isselbaecher 834B/150 connection : 0,004 kW - 230/1/50 capacity : 150 kg cypher steps : 0 - 60 kg / 20 g 60 - 150 kg / 50 g platform dim. : 650 x 550 mm display unit net operation execution: display unit S/S platform

	pouder coated
834B/300 	electronic floor scale Isselbaecher 834B/300 connection : 0,004 kW - 230/1/50 capacity : 300 kg cypher steps : 0 - 150 kg/50 g 150 - 300 kg/100 g platform dim. : 650 x 550 mm display unit net operation execution: display unit s/s platform powder coated
834B/150 - Aqua68 - HACCP 	electronic floor scale Isselbaecher 834B/150-Aqua68-HACCP connection : 0,004 kW - 230/1/50 - floor scale - separate display + contol panel - calibratable - weighing cell acc. to protection level IP68 - construction acc. to HACCP acc: power connection adapter platform dim. : 650 x 550 mm weighing range: 0 - 150 kg cypher steps : 0 - 60 kg - 20g 60 - 150 kg - 50g execution: CNS
835B/400 - Aqua68 - HACCP 	electronic floor scale Isselbaecher 835B/400-Aqua68-HACCP connection : 0,004 kW - 230/1/50 - floor scale - separate display + contol panel - calibratable - weighing cells acc. to standard IP67 - construction acc. to HACCP - analysing unit 82 basic - stand 0213/2 acc: power connection adapter platform dim. : 800 x 600 mm weighing range: 2 - 400 kg cypher steps : 0 - 300 kg/100g from 300 kg/200 g execution : stainless steel
874C/600/100 - Aqua 68 	electronic floor scale Isselbaecher 874C/600/100-Aqua 68 connection : 0,004 kW - 230/1/50 can be built-in capacity : 1500 kg cypher steps : 0 - 300 kg/100 g from 300 kg/200 g platform dim. : 1000x800 mm - display with gross, net or tara weight, tara balance - incl. wall mounting bracket - 10 free creatable outprints - integrated power supply adapter execution: - with evaluating unit 82 comfort - 2 serial interfaces RS232/24V - numeric keyboard

	- adding and counting operation
7758.01.002 	electronic floor scale Isselbaecher 7758.01.002 connection : 230/1/50 LCD-display with 20 mm cypher height platform dim. : 800x800x40 mm weighing range : 0 - 200 kg cypher steps : 100 g including wall bracket for display loading unit with accumulator execution: housing enamelled
9020.01.001 	electronic floor scale Isselbaecher 9020.01.001 Dimensions : 1050 x 800 x 40 mm connection : 230/1/50 with integrated ramp c/w antislip surface LCD-liquid crystal display platform dim. : 800x800x40 mm weighing range : 0-200 kg cypher steps : 100 g including wall bracket for display loading unit with accumulator execution: housing enamelled