

	GN-insert
G-KEN 1/2-60 - 550 4 	GN-cooking insert, perforated Isselbaecher G-KEN 1/2-60 - 550 488 Dimensions : 325 x 265 x 60 mm bottom and sides perforated, perforation 3 mm diam. execution : stainless steel
G-KEN 1/2-100 - 550 	GN-cooking insert, perforated Isselbaecher G-KEN 1/2-100 - 550 502 Dimensions : 325 x 265 x 95 mm bottom, sides and corner radius perforated perforation 3 mm diam. execution : stainless steel
G-KEN 1/1-50 - 565 9 	GN-cooking insert, perforated Isselbaecher G-KEN 1/1-60 - 565 940 Dimensions : 530 x 325 x 50 mm bottom perforated perforation 3 mm diam. execution : stainless steel
G-KEN 1/1-60 - 550 4 	GN-cooking insert, perforated Isselbaecher G-KEN 1/1-60 - 550 487 Dimensions : 530 x 325 x 60 mm bottom and sides perforated, perforation 3 mm diam. execution : stainless steel
G-KEN 1/2-150 - 550 	GN-cooking insert, perforated Isselbaecher G-KEN 1/2-150 - 550 557 Dimensions : 325 x 265 x 145 mm bottom, sides and corner radius perforated perforation 3 mm diam. execution : stainless steel
G-KEN 1/1-100 - 550 	GN-cooking insert, perforated Isselbaecher G-KEN 1/1-100 - 550 407 Dimensions : 530 x 325 x 95 mm bottom, sides and corner radius perforated perforation 3 mm diam. execution : stainless steel

G-KEN 1/2-200 - 550



GN-cooking insert, perforated
Isselbaecher
G-KEN 1/2-200 - 550 558

Dimensions : 325 x 265 x 195 mm
bottom, sides and corner radius perforated
perforation 3 mm diam.

execution : stainless steel

G-KEN 1/1-150 - 550



GN-cooking insert, perforated
Isselbaecher
G-KEN 1/1-150 - 550 486

Dimensions : 530 x 325 x 145 mm
bottom, sides and corner radius perforated
perforation 3 mm diam.

execution : stainless steel

G-KEN 1/1-200 - 550



GN-cooking insert, perforated
Isselbaecher
G-KEN 1/1-200 - 550 490

Dimensions : 530 x 325 x 195 mm
bottom, sides and corner radius perforated
perforation 3 mm diam.

execution : stainless steel

G-KEN G 1/2-60 - 550



GN-cooking insert, with folding handles
Isselbaecher
G-KEN G 1/2-60 - 550 966

Dimensions : 325 x 265 x 60 mm
bottom and sides perforated,
perforation 3 mm diam.

execution : stainless steel

G-KEN G 1/2-100 - 55




GN-cooking insert, with folding handles
Isselbaecher
G-KEN G 1/2-100 - 550 967

Dimensions : 325 x 265 x 95 mm
bottom, sides and corner radius perforated
perforation 3 mm diam.

execution : stainless steel

G-KEN G 1/1-60 - 550



GN-cooking insert, with folding handles
Isselbaecher
G-KEN G 1/1-60 - 550 970

Dimensions : 530 x 325 x 60 mm
bottom and sides perforated,
perforation 3 mm diam.

execution : stainless steel

G-KEN G 1/1-100 - 55



GN-cooking insert, with folding handles
Isselbaecher
G-KEN G 1/1-100 - 550 971

Dimensions : 530 x 325 x 95 mm
bottom, sides and corner radius perforated
perforation 3 mm diam.

execution : stainless steel

G-KEN G 1/2-200 - 55



GN-cooking insert, with folding handles
Isselbaecher
G-KEN G 1/2-200 - 550 969

Dimensions : 325 x 265 x 195 mm
bottom, sides and corner radius perforated
perforation 3 mm diam.

execution : stainless steel

G-KEN G 1/1-150 - 55



GN-cooking insert, with folding handles
Isselbaecher
G-KEN G 1/1-150 - 550 972

Dimensions : 530 x 325 x 145 mm
bottom, sides and corner radius perforated
perforation 3 mm diam.

execution : stainless steel