

griddle plate

Isselbaecher
kitchen equipment GmbH

72/02FTG 	gas grill plate Isselbaecher 72/02FTG Dimensions : 400 x 700 x 900 mm connection : gas 6,8 kW smooth steel plate usable surface 344 x 490 mm grease collecting pan substructure: open with back wall execution : stainless steel
72/02FTG-VALV 	gas grill plate Isselbaecher 72/02FTG-VALV Dimensions : 400 x 700 x 900 mm connection : gas 6,8 kW smooth steel plate usable surface 344 x 490 mm grease collecting pan with thermostatic valve substructure: open with back wall execution : stainless steel
72/02FTGC-VALV 	gas grill plate Isselbaecher 72/02FTGC-VALV Dimensions : 400 x 700 x 900 mm connection : gas 6,8 kW smooth fry top made of chrome plated steel usable surface 344 x 490 mm grease collecting pan with thermostatic valve substructure: open with back wall execution : stainless steel
74/02FTG 	gas grill plate Isselbaecher 74/02FTG Dimensions : 800 x 700 x 900 mm connection : gas 13,6 kW smooth steel plate usable surface 744 x 490 mm grease collecting pan substructure: open with back wall execution : stainless steel
74/02FTG-VALV 	gas grill plate Isselbaecher 74/02FTG-VALV Dimensions : 800 x 700 x 900 mm connection : gas 13,6 kW smooth steel plate usable surface 744 x 490 mm grease collecting pan with thermostatic valve substructure: open with back wall execution : stainless steel

griddle plate

Isselbaecher
kitchen equipment GmbH

74/02FTGC-VALV 	gas grill plate Isselbaecher 74/02FTGC-VALV Dimensions : 800 x 700 x 900 mm connection : gas 13,6 kW smooth fry top made of chrome plated steel useable surface 740 x 490 mm grease collecting pan with thermostatic valve substructure: open with back wall execution : stainless steel
74/02FTG1/2R 	gas grill plate Isselbaecher 74/02FTG1/2R Dimensions : 800 x 700 x 900 mm connection : gas 13,6 kW smooth steel plate 1/2 smooth, 1/2 grooved usable surface 744 x 490 mm grease collecting pan substructure: open with back wall execution : stainless steel
74/02FTG1/2R-VALV 	gas grill plate Isselbaecher 74/02FTG1/2R-VALV Dimensions : 800 x 700 x 900 mm connection : gas 13,6 kW smooth steel plate 1/2 smooth, 1/2 grooved usable surface 744 x 490 mm grease collecting pan with thermostatic valve substructure: open with back wall execution : stainless steel
72/02FTGR 	gas grill plate Isselbaecher 72/02FTGR Dimensions : 400 x 700 x 900 mm connection : gas 6,8 kW grooved steel plate usable surface 344 x 490 mm grease collecting pan substructure: open with back wall execution : stainless steel
72/02FTGR-VALV 	gas grill plate Isselbaecher 72/02FTGR-VALV Dimensions : 400 x 700 x 900 mm connection : gas 6,8 kW grooved steel plate usable surface 344 x 490 mm grease collecting pan with thermostatic valve substructure: open with back wall execution : stainless steel

griddle plate

Isselbaecher
kitchen equipment GmbH

74/02FTGR



gas grill plate
Isselbaecher
74/02FTGR

Dimensions : 800 x 700 x 900 mm
connection : gas 13,6 kW

grooved steel plate
useable surface 740 x 490 mm
grease collecting pan

substructure: open with back wall

execution : stainless steel

74/02FTGR-VALV



gas grill plate
Isselbaecher
74/02FTGR-VALV

Dimensions : 800 x 700 x 900 mm
connection : gas 13,6 kW

grooved steel plate
usable surface 744 x 490 mm
grease collecting pan
with thermostatic valve

substructure: open with back wall

execution : stainless steel