		1 11 1
hand washbasin/sink co	mbination	Isselbaecher kitchen equipment GmbH
HA 600 WG	hand washbasin/sink combination Isselbaecher HA 600 WG	
	Dimensions: 500 x 600 x 610 mm wall type	
	upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. mixing tap 1/2" with swivel drain	
	in the substructure: 1 sink 370 x 340 x 150mm, with support grid executed in plastics	
	execution : stainless steel	
HA 700 WG	hand washbasin/sink combination Isselbaecher HA 700 WG	
	Dimensions : 500 x 700 x 610 mm wall type	
	upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. mixing tap 1/2" with swivel drain	
	in the substructure: 1 drain sink 400 x 400 x 190 mm, with support grid executed in plastics	
	execution : stainless steel	
HA 600 FG	hand washbasin/sink combination Isselbaecher HA 600 FG	
	Dimensions: 500 x 600 x 850 mm floor model with pedestal	
	upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. mixing tap 1/2" with swivel drain	
	in the substructure: 1 sink 370 x 340 x 150mm, with support grid executed in plastics	
	execution : stainless steel	
HA 700 FG	hand washbasin/sink combination Isselbaecher HA 700 FG	
	Dimensions: 500 x 700 x 850 mm floor model with pedestal	
	upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. mixing tap 1/2" with swivel drain	
	in the substructure: 1 drain sink 400 x 400 x 190 mm, with support grid executed in plastics	
	execution : stainless steel	
HA 600 SG	hand washbasin/sink combination Isselbaecher HA 600 SG	
	Dimensions: 500 x 600 x 700 mm model for placing on plinth	
	upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. mixing tap 1/2" with swivel drain	
	in the substructure: 1 sink 370 x 340 x 150mm, with support grid executed in plastics	
		Seite : 1

		Isselbaecher
hand washbasin/sink c	ombination T	kitchen equipment GmbH
	execution : stainless steel	
HA 700 SG	hand washbasin/sink combination Isselbaecher HA 700 SG	
	Dimensions: 500 x 700 x 700 mm model for placing on plinth	
	upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. mixing tap 1/2" with swivel drain	
	in the substructure: 1 drain sink 400 x 400 x 190 mm, with support grid executed in plastics	
	execution : stainless steel	
HA 600 WA	hand washbasin/sink combination Isselbaecher HA 600 WA	
	Dimensions : 500 x 600 x 610 mm connection : kW - 230/1/50	
	wall type	
	upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. sensor mixing tap 1/2 "	
	in the substructure: 1 sink 370 x 340 x 150mm, with support grid executed in plastics	
	- sensor built into tap	
	execution : stainless steel	
HA 600 WS	hand washbasin/sink combination Isselbaecher HA 600 WS	
	Dimensions: 500 x 600 x 610 mm connection: kW - 230/1/50	
	wall type	
	upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. sensor mixing tap 1/2 "	
	in the substructure: 1 sink 370 x 340 x 150mm, with support grid executed in plastics	
	- sensor built into lower basin panel	
	execution : stainless steel	
HA 600 SA	hand washbasin/sink combination Isselbaecher HA 600 SA	
	Dimensions : 500 x 600 x 700 mm connection : kW - 230/1/50	
	model for placing on plinth	
	upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. sensor mixing tap 1/2 "	
	in the substructure: 1 sink 370 x 340 x 150mm, with support grid executed in plastics	
	- sensor built into tap	
	execution : stainless steel	

Seite : 2

Isselbaecher hand washbasin/sink combination hand washbasin/sink combination HA 600 SS Isselbaecher HA 600 SS Dimensions : $500 \times 600 \times 700 \text{ mm}$ connection : kW - 230/1/50model for placing on plinth upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. sensor mixing tap 1/2 " in the substructure: 1 sink 370 x 340 x 150mm, with support grid executed in plastics - sensor built into lower basin panel execution : stainless steel HA 700 WA hand washbasin/sink combination Isselbaecher HA 700 WA Dimensions: 500 x 700 x 610 mm connection: kW - 230/1/50 wall type upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. sensor mixing tap 1/2 " in the substructure: 1 drain sink 400 x 400 x 190 mm, with support grid executed in plastics - sensor built into tap execution: stainless steel hand washbasin/sink combination HA 700 WS Isselbaecher **HA 700 WS** Dimensions : $500 \times 700 \times 610 \text{ mm}$ connection: kW - 230/1/50 wall type upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. sensor mixing tap 1/2 " in the substructure: 1 drain sink 400 x 400 x 190 mm, with support grid executed in plastics - sensor built into lower basin panel execution: stainless steel hand washbasin/sink combination HA 600 FA Isselbaecher HA 600 FA Dimensions : 500 x 600 x 850 mm connection : kW - 230/1/50 floor model with pedestal upper structure: 1 hand wash basin 370 x 240 x 150 mm incl. sensor mixing tap 1/2 in the substructure: 1 sink 370 x 340 x 150mm, with support grid executed in plastics - sensor built into tap execution: stainless steel

hand washbasin/sink combination

Isselbaecher

HA 600 FS



hand washbasin/sink combination Isselbaecher HA 600 FS

Dimensions : $500 \times 600 \times 850 \text{ mm}$ connection : kW - 230/1/50

floor model with pedestal

upper structure:

1 hand wash basin 370 x 240 x 150 mm incl. sensor mixing tap 1/2 " $\,$

in the substructure: 1 sink 370 x 340 x 150mm, with support grid executed in plastics

- sensor built into lower basin panel

execution: stainless steel

HA 700 SA



hand washbasin/sink combination

Isselbaecher HA 700 SA

Dimensions: 500 x 700 x 700 mm connection: kW - 230/1/50

model for placing on plinth

upper structure:

1 hand wash basin 370 x 240 x 150 mm incl. sensor mixing tap 1/2 "

in the substructure:

1 drain sink 400 x 400 x 190 mm, with support grid executed in plastics

- sensor built into tap

execution: stainless steel

HA 700 SS



hand washbasin/sink combination Isselbaecher HA 700 SS

Dimensions : 500 x 700 x 700 mm connection : kW - 230/1/50

model for placing on plinth

upper structure:

1 hand wash basin 370 x 240 x 150 mm incl. sensor mixing tap 1/2 "

in the substructure:

1 drain sink 400 x 400 x 190 mm, with support grid executed in plastics

- sensor built into lower basin panel

execution: stainless steel

HA 700 FA



hand washbasin/sink combination Isselbaecher HA 700 FA

Dimensions : 500 x 700 x 850 mm connection : kW - 230/1/50

floor model with pedestal

upper structure:

1 hand wash basin 370 x 240 x 150 mm incl. sensor mixing tap 1/2 "

in the substructure:

1 drain sink 400 x 400 x 190 mm, with support grid executed in plastics

- sensor built into tap

execution : stainless steel

hand washbasin/sink combination

Isselbaecher kitchen equipment GmbH

HA 700 FS



hand washbasin/sink combination Isselbaecher HA 700 FS

Dimensions : 500 x 700 x 850 mm connection : kW - 230/1/50

floor model with pedestal

upper structure:

1 hand wash basin 370 x 240 x 150 mm incl. sensor mixing tap 1/2 "

in the substructure: 1 drain sink 400 x 400 x 190 mm, with support grid executed in plastics

- sensor built into lower basin panel

execution: stainless steel

4006/430



drain sink Isselbaecher 4006/430

Dimensions: 430 x 330 x 180 mm

with drainvalve
bracket and tiltable deposit grid
with drain 1 1/2"

execution: stainless steel

Seite: 5