

heating lamp

Isselbaecher
kitchen equipment GmbH

GR - FF 	Hot shelf Isselbaecher GR-FF Dimensions : 310 x 630 x 420 mm connection : 0,5 kW - 230/1/50 - 1 heating element accessories : 1 basin 320 x 630 x 100 mm execution : Aluminium
GR - FFB 	Hot shelf Isselbaecher GR-FFB Dimensions : 310 x 610 x 510 mm connection : 0,75 kW - 230/1/50 - 1 heating element - 1 heated top accessories : 1 basin 320 x 630 x 100 mm execution : Aluminium
27001 - B0010 	heating lamp Isselbaecher 27001-B0010 connection : 0,25 kW - 230/1/50 length adjustable from 850 up to 1700 mm delivery with spiral cable and infrared heating lamp (alternatively white light lamps) - connection rosette 100 mm diam. (black) - switch on housing exexution : Alu - silver
27001 - B0011 	heating lamp Isselbaecher 27001-B0011 connection : 0,25 kW - 230/1/50 length adjustable from 850 up to 1700 mm delivery with spiral cable and infrared heating lamp (alternatively white light lamps) - connection rosette 100 mm diam. (black) - switch on housing execution : Alu - copperblack
27001 - B0012 	heating lamp Isselbaecher 27001-B0012 connection : 0,25 kW - 230/1/50 length adjustable from 850 up to 1700 mm delivery with spiral cable and infrared heating lamp (alternatively white light lamps) - connection rosette 100 mm diam. (black) - switch on housing Ausfuehrung: Alu weiß

heating lamp

Isselbaecher
kitchen equipment GmbH

22001-B0020 	heating lamp Isselbaecher 22001-B0020 connection : 0,25 kW - 230/1/50 length adjustable from 850 up to 1700 mm delivery with spiral cable and infrared heating lamp (alternatively white light lamps) - connection rosette 100 mm diam. (black) - switch on housing execution : brass
22001-B0021 	heating lamp Isselbaecher 22001-B0021 connection : 0,25 kW - 230/1/50 length adjustable from 850 up to 1700 mm delivery with spiral cable and infrared heating lamp (alternatively white light lamps) - connection rosette 100 mm diam. (black) - switch on housing execution : copper
22001-B0022 	heating lamp Isselbaecher 22001-B0022 connection : 0,25 kW - 230/1/50 length adjustable from 850 up to 1700 mm delivery with spiral cable and infrared heating lamp (alternatively white light lamps) - connection rosette 100 mm diam. (black) - switch on housing execution : chromium plated
27002-B0100 	heating lamp - bar Isselbaecher 27002-B0100 Dimensions : 600 x x mm connection : 0,5 kW - 230/1/50 2 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) exexecution : Alu - silver
27002-B0101 	heating lamp - bar Isselbaecher 27002-B0101 Dimensions : 600 x x mm connection : 0,5 kW - 230/1/50 2 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps)

	execution : Alu - copperblack
27002-B0102 	heating lamp - bar Isselbaecher 27002-B0102 Dimensions : 600 x x mm connection : 0,5 kW - 230/1/50 2 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) Ausfuehrung: Alu weiß
27003-B0110 	heating lamp - bar Isselbaecher 27003-B0110 Dimensions : 900 x x mm connection : 0,75 kW - 230/1/50 3 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : Alu - silver
27003-B0111 	heating lamp - bar Isselbaecher 27003-B0111 Dimensions : 900 x x mm connection : 0,75 kW - 230/1/50 3 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : Alu - copperblack
27003-B0112 	heating lamp - bar Isselbaecher 27003-B0112 Dimensions : 900 x x mm connection : 0,75 kW - 230/1/50 3 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) Ausfuehrung: Alu weiß

heating lamp

Isselbaecher
kitchen equipment GmbH

27004-B0120 	heating lamp - bar Isselbaecher 27004-B0120 Dimensions : 1200 x x mm connection : 1,0 kW - 230/1/50 4 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) exexution : Alu - silver
27004-B0121 	heating lamp - bar Isselbaecher 27004-B0121 Dimensions : 1200 x x mm connection : 1,0 kW - 230/1/50 4 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : Alu - copperblack
27004-B0122 	heating lamp - bar Isselbaecher 27004-B0122 Dimensions : 1200 x x mm connection : 1,0 kW - 230/1/50 4 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) Ausfuehrung: Alu weiß
27005-B0130 	heating lamp - bar Isselbaecher 27005-B0130 Dimensions : 1500 x x mm connection : 1,25 kW - 230/1/50 5 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) exexution : Alu - silver
27005-B0131 	heating lamp - bar Isselbaecher 27005-B0130 Dimensions : 1500 x x mm connection : 1,25 kW - 230/1/50 5 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps)

	execution : Alu - copperblack
27005-B0132 	heating lamp - bar Isselbaecher 27005-B0132 Dimensions : 1500 x x mm connection : 1,25 kW - 23071/50 5 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) Ausfuehrung: Alu weiß
22002-B0200 	heating lamp - bar Isselbaecher 22002-B0200 Dimensions : 600 x x mm connection : 0,5 kW - 230/1/50 2 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : brass
22002-B0201 	heating lamp - bar Isselbaecher 22002-B0201 Dimensions : 600 x x mm connection : 0,5 kW - 230/1/50 2 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : copper
22002-B0202 	heating lamp - bar Isselbaecher 22002-B0202 Dimensions : 600 x x mm connection : 0,5 kW - 230/1/50 2 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : chromium plated

heating lamp

Isselbaecher
kitchen equipment GmbH

22003-B0210 	heating lamp - bar Isselbaecher 22003-B0210 Dimensions : 900 x x mm connection : 0,75 kW - 230/1/50 3 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : brass
22003-B0211 	heating lamp - bar Isselbaecher 22003-B0211 Dimensions : 900 x x mm connection : 0,75 kW - 230/1/50 3 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : copper
22003-B0212 	heating lamp - bar Isselbaecher 22003-B0212 Dimensions : 900 x x mm connection : 0,75 kW - 230/1/50 3 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : chromium plated
22004-B0220 	heating lamp - bar Isselbaecher 22004-B0220 Dimensions : 1200 x x mm connection : 1,0 kW - 230/1/50 4 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : brass
22004-B0221 	heating lamp - bar Isselbaecher 22004-B0221 Dimensions : 1200 x x mm connection : 1,0 kW - 230/1/50 4 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps)

	execution : copper
22004-B0222 	heating lamp - bar Isselbaecher 22004-B0222 Dimensions : 1200 x x mm connection : 1,0 kW - 230/1/50 4 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : chromium plated
22005-B0230 	heating lamp - bar Isselbaecher 22005-B0230 Dimensions : 1500 x x mm connection : 1,25 kW - 230/1/50 5 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : brass
22005-B0231 	heating lamp - bar Isselbaecher 22005-B0231 Dimensions : 1500 x x mm connection : 1,25 kW - 230/1/50 5 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : copper
22005-B0232 	heating lamp - bar Isselbaecher 22005-B0232 Dimensions : 1500 x x mm connection : 1,25 kW - 230/1/50 5 lamps on s/s bar separately switchable length adjustable from 850 up to 1700 mm delivery with infrared radiator (alternatively white light lamps) execution : chromium plated

heating lamp

Isselbaecher
kitchen equipment GmbH

24000 S 	heating lamp Isselbaecher 24000 S connection : 0,25 kW - 230/1/50 height : approx. 700 mm lamp shade with flexible arm 1 white light projector - connecting cord - 1 screw fixation execution : chromium plated
24000 TS 	heating lamp Isselbaecher 24000 TS connection : 0,25 kW - 230/1/50 height : approx. 700 mm lamp shade with flexible arm 1 white light projector - connection cord with plug - 1 clamping device for fixation at table top execution : chromium plated
24000 S-G 	heating lamp Isselbaecher 24000 S-G connection : 0,25 kW - 230/1/50 height : approx. 700 mm lamp shade with flexible arm 1 white light projector - connecting cord - 1 screw fixation execution : gold plated
24000B 	heating lamp Isselbaecher 24000B Dimensions : 200 x 200 x 40 mm connection : 0,25 kW - 230/1/50 height : approx. 700 mm lamp shade with flexible arm 1 white light projector - ON/OFF switch - connecting cord - foot plate made of s/s execution : chromium plated
24000B-G 	heating lamp Isselbaecher 24000B-G Dimensions : 200 x 200 x 40 mm connection : 0,25 kW - 230/1/50 height : approx. 700 mm lamp shade with flexible arm 1 white light projector - ON/OFF switch - connecting cord - foot plate made of s/s execution : gold plated