















electric fast boiling kettle

<p>MES 060</p> 	<p>electric fast boiling kettle Isselbaecher MES 060</p> <p>Dimensions : 700 x 856 x 900 mm connection : 12,6 kW - 40073/50</p> <ul style="list-style-type: none"> - usable content : 63,5 ltrs. - double walled kettle and lid, - mixing tap 3/4", - closed Permapress system <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>
<p>MES 080</p> 	<p>electric fast boiling kettle Isselbaecher MES 080</p> <p>Dimensions : 800 x 856 x 900 mm connection : 15,6 kW - 400/3/50</p> <ul style="list-style-type: none"> - usable content : 81 ltrs. - double walled kettle and lid, - mixing tap 3/4", - closed Permapress system <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>
<p>MES 100</p> 	<p>electric fast boiling kettle Isselbaecher MES 100</p> <p>Dimensions : 800 x 856 x 900 mm connection : 18,6 kW - 400/3/50</p> <ul style="list-style-type: none"> - usable content : 100 ltrs. - double walled kettle and lid, - mixing tap 3/4", - closed Permapress system <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>
<p>MES 150</p> 	<p>electric fast boiling kettle Isselbaecher MES 150</p> <p>Dimensions : 1000 x 856 x 900 mm connection : 24,5 kW - 400/3/50</p> <ul style="list-style-type: none"> - usable content : 150 ltrs. - double walled kettle and lid, - mixing tap 3/4", - closed Permapress system <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>
<p>MES 060.100</p> 	<p>electric fast boiling kettle Isselbaecher MES 060.100</p> <p>Dimensions : 700 x 856 x 900 mm connection : 12,6 kW - 40073/50</p> <ul style="list-style-type: none"> - usable content : 63,5 ltrs. - double walled kettle and lid, - mixing tap 3/4", - with electronic control by keypad - closed Permapress system <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>

electric fast boiling kettle

<p>MES 080.100</p> 	<p>electric fast boiling kettle Isselbaecher MES 080.100</p> <p>Dimensions : 800 x 856 x 900 mm connection : 15,6 kW - 400/3/50</p> <ul style="list-style-type: none"> - usable content : 81 ltrs. - double walled kettle and lid, - mixing tap 3/4", - with electronic control by keypad - closed Permapress system <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>
<p>MES 100.100</p> 	<p>electric fast boiling kettle Isselbaecher MES 100.100</p> <p>Dimensions : 800 x 856 x 900 mm connection : 18,6 kW - 400/3/50</p> <ul style="list-style-type: none"> - usable content : 100 ltrs. - double walled kettle and lid, - mixing tap 3/4", - with electronic control by keypad - closed Permapress system <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>
<p>MES 150.100</p> 	<p>electric fast boiling kettle Isselbaecher MES 150.100</p> <p>Dimensions : 1000 x 856 x 900 mm connection : 24,6 kW - 400/3/50</p> <ul style="list-style-type: none"> - usable content : 150 ltrs. - double walled kettle and lid, - mixing tap 3/4", - with electronic control by keypad - closed Permapress system <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>
<p>MER 150</p> 	<p>electric boiling kettle, rectangular Isselbaecher MER 150</p> <p>Dimensions : 900 x 856 x 900 mm connection : 24,6 kW - 400/3/50</p> <ul style="list-style-type: none"> - rectangular cooking kettle - content:150 ltrs. - double walled kettle and lid - mixing tap 3/4" - low water cut-off - safty drain cock 2" - built-in contactor <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>
<p>MER 250</p> 	<p>electric boiling kettle, rectangular Isselbaecher MER 250</p> <p>Dimensions : 1400 x 856 x 900 mm connection : 30,6 kW - 400/3/50</p> <ul style="list-style-type: none"> - rectangular cooking kettle - content:250 ltrs. - double walled kettle and lid - mixing tap 3/4" - low water cut-off - safty drain cock 2" - built-in contactor <p>accessories : 1 drain sieve</p>

	<p>execution : stainless steel</p>
<p>MER 300</p> 	<p>electric boiling kettle, rectangular Isselbaecher MER 300</p> <p>Dimensions : 1600 x 856 x 900 mm connection : 36,6 kW - 400/3/50</p> <ul style="list-style-type: none"> - rectangular cooking kettle - content:300 ltrs. - double walled kettle and lid - mixing tap 3/4" - low water cut-off - safty drain cock 2" - built-in contactor <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>
<p>MER 150.100</p> 	<p>electric boiling kettle, rectangular Isselbaecher MER 150.100</p> <p>Dimensions : 900 x 856 x 900 mm connection : 24,6 kW - 400/3/50</p> <ul style="list-style-type: none"> - rectangular cooking kettle - content:150 ltrs. - double walled kettle and lid - with electronic control by keypad - mixing tap 3/4" - low water cut-off - safty drain cock 2" - built-in contactor <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>
<p>MER 250.100</p> 	<p>electric boiling kettle, rectangular Isselbaecher MER 250.100</p> <p>Dimensions : 1400 x 856 x 900 mm connection : 30,6 kW - 400/3/50</p> <ul style="list-style-type: none"> - rectangular cooking kettle - content:250 ltrs. - double walled kettle and lid - with electronic control by keypad - mixing tap 3/4" - low water cut-off - safty drain cock 2" - built-in contactor <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>
<p>MER 300.100</p> 	<p>electric boiling kettle, rectangular Isselbaecher MER 300.100</p> <p>Dimensions : 1600 x 856 x 900 mm connection : 36,6 kW - 400/3/50</p> <ul style="list-style-type: none"> - rectangular cooking kettle - content:300 ltrs. - double walled kettle and lid - with electronic control by keypad - mixing tap 3/4" - low water cut-off - safty drain cock 2" - built-in contactor <p>accessories : 1 drain sieve</p> <p>execution : stainless steel</p>