

SO 1840 F 	meat and bone saw Isselbaecher SO 1840 F Tf-CE Dimensions : 480 x 565 x 910 mm connection : 0,7 kW - 400/3/50 with fixed table cutting height: 230 mm cutting width: 220 mm length of belt: 1840 mm portion limit stop 1 Universal saw belt, execution: anodized
SO 1650 Bremen Tf 	meat and bone saw Isselbaecher SO 1650 Bremen Tf-CE Dimensions : 500 x 530 x 815 mm connection : 0,75 kW - 400/3/50 with fixed table cutting height: 245 mm cutting width: 195 mm length of belt: 1650 mm portion limit stop 1 Universal saw belt, execution: anodized/stainless steel
SO 2020 INOX 	meat and bone saw Isselbaecher SO 2020 TF Dimensions : 615 x 615 x 1600 mm connection : 1,2 kW - 400/3/50 with fixed table cutting height: 300 mm cutting width: 235 mm length of belt: 2020 mm portion limit stop 1 Universal saw belt, overload protection execution : stainless steel
SO 2400 	meat and bone saw Isselbaecher SO 2400 Tf-CE Dimensions : 752 x 750 x 1625 mm connection : 1,2 kW - 400/3/50 with fixed table cutting height: 320 mm cutting width: 285 mm length of belt: 2400 mm portion limit stop 1 Universal saw belt, overload protection execution : stainless steel
SO 3100 	meat and bone saw Isselbaecher SO 3100 Tf-CE Dimensions : 810 x 965 x 1870 mm connection : 1,9 kW -400/3/50 with fixed table cutting height: 435 mm cutting width: 385 mm length of belt: 3100 mm portion limit stop 1 Universal saw belt, overload protection execution : stainless steel

MKB 649 D 	meat and bone saw Isselbaecher MKB 649 D Dimensions : 490 x 530 x 880 mm connection : 1,1 KW - 400/3/50 table model dim. of table: 400/490 x 530 mm cutting height: 230 mm cutting width: 190 mm length of belt: 1750 mm incl. portioning device and bone dust container, pusher plate device-safety-cutter and Motor brake execution: complete stainless steel
MKB 649 W 	meat and bone saw Isselbaecher MKB 649 W Dimensions : 490 x 530 x 880 mm connection : 0,9 kW - 230/1/50 table model dim. of table: 400/490 x 530 mm cutting height: 230 mm cutting width: 190 mm length of belt: 1750 mm incl. portioning device and bone dust container, pusher plate device-safety-cutter and Motor brake execution: complete stainless steel
MKB 651 	meat and bone saw Isselbaecher MKB 651 Dimensions : 775 x 810 x 1700 mm connection : 1,5 KW -400/3/50 floor model dim. of table: 605/725 x 775 mm cutting height: 340 mm cutting width: 280 mm length of blade : 2430 mm incl. portioning device and bone dust container, removable pusher unit, adjustable in height belt-protection and motor brake execution : stainless steel
MKB 653 	meat and bone saw Isselbaecher MKB 653 Dimensions : 1000 x 875 x 1800 mm connection : 2,2 kW - 400/3/50 floor model dim. of table: 800/950 x 850 mm cutting height : 410 mm cutting width: 400 mm length of belt: 3150 mm incl. portioning device and bone dust container, removable pusher unit, adjustable in height belt-protection and motor brake execution : stainless steel

MKB 652



meat and bone saw
Isselbaecher
MKB 652

Dimensions : 810 x 860 x 1700 mm
connection : 1,5 KW -400/3/50

floor model
dim. of table: 640/760 x 775 mm
cutting height: 340 mm
cutting width: 280 mm
length of blade : 2430 mm
incl. portioning device and bone dust
container, removable pusher
unit, adjustable in height belt-
protection and motor brake

execution : stainless steel

MKB 654



meat and bone saw
Isselbaecher
MKB 654

Dimensions : 1035 x 925 x 1800 mm
connection : 2,2 kW - 400/3/50

floor model with slide table
dim. of table: 800/985 x 850 mm
cutting height : 410 mm
cutting width: 400 mm
length of belt: 3150 mm
incl. portioning device and bone dust
container, removable pusher
unit, adjustable in height belt-
protection and motor brake

execution : stainless steel