

meat mincer

Isselbaecher
kitchen equipment GmbH

885 500



meat mincer
Isselbaecher
885 500

Dimensions : 340 x 210 x 400 mm
connection : 0,32 kW - 230/1/50

capacity kg/min.: approx.1,5
capacity kg/h: approx.80
disc diameter: 62 mm
4-wing steel blade, 4,5 mm
perforated disc, Motor housing with
carrying handle
accessories: stainless steel-fill-in chute,
removable, rotatable

execution :
housing enamelled

FTS-126



meat mincer
Isselbaecher
FTS-126

Dimensions : 245 x 376 x 425 mm
connection : 0,75 kW - 400/3/50

capacity kg/min: approx. 2,8
capacity kg/h: approx. 170
disc diameter : 70 mm
1 cutting set

execution :
stainless steel

FTS-136



meat mincer
Isselbaecher
FTS-136

Dimensions : 310 x 435 x 429 mm
connection : 1,1 KW - 400/3/50

capacity kg/min : approx. 5
capacity kg/h : ca. 300

diam. of perforated disc : 82 mm
1 cutting set

execution :
stainless steel

FTI-138



meat mincer
Isselbaecher
FTI-138

Dimensions : 360 x 565 x 507 mm
connection : 2,2 kW - 400/3/50

capacity : approx. 10 kg/min.
capacity : approx. 600 kg/hr.
disc diameter 98 mm
1 cutting set

execution :
stainless steel

TS8-CE



meat mincer
Isselbaecher
TS8-CE

Dimensions : 165 x 335 x 335 mm
connection : 0,5 kW - 230/1/50

capacity kg/min: approx. 1,3
capacity kg/h: approx. 80
disc diameter: 62 mm
1 cutting set

execution :
Aluminium anodized

meat mincer

Isselbaecher
kitchen equipment GmbH

TS12 - C1281 - CE 	meat mincer Isselbaecher TS12-C1281-CE Dimensions : 180 x 490 x 430 mm connection : 0,7 kW - 230/1/50 capacity kg/min: approx. 2,8 capacity kg/h: approx. 170 disc diameter : 70 mm 1 cutting set execution : Aluminium anodized
X 70 Unger-System 	meat mincer, UNGER-System Isselbaecher X 70 Dimensions : 520 x 223 x 360 mm connection : 1,1 kW - 400/3/50 or 230/1/50 table model capacity kg/min : approx. 5 capacity kg/h : ca. 300 disc diameter : 70 mm 1 unger system R, consistig of 3-parts 1 pre-cutter 1 knife 1 disc 3 mm execution : stainless steel
X 70 G Unger-System 	meat mincer, UNGER-System Isselbaecher X 70 G Dimensions : 565 x 350 x 390 mm connection : 1,1 kW - 400/3/50 or 230/1/50 table model capacity kg/min: approx. 6 capacity : approx. 360 kgs./hr. disc diameter : 70 mm 1 unger system R, consistig of 3-parts 1 pre-cutter 1 knife 1 disc 3 mm execution : stainless steel
XT 132 dreiphasig Un 	meat mincer, UNGER-System Isselbaecher XT 132 Dimensions : 930 x 515 x 620 mm connection : 2,2 kW - 400/3/50 table model capacity kg/min : approx. 25 capacity kg/hr : approx. 1500 disc diameter 98 mm 1 cutting set Unger-system, 5 pcs. 1 pre-cutter 2 blades 1 disc 3 mm 1 disc 13 mm execution : stainless steel
XT 132 einphasig Ung 	meat mincer, UNGER-System Isselbaecher XT 132 Dimensions : 930 x 515 x 620 mm connection : 2,0 kW - 230/1/50 table model capacity kg/min : approx. 25 capacity kg/hr : approx. 1500 disc diameter 98 mm 1 cutting set Unger-system, 5 pcs. 1 pre-cutter 2 blades 1 disc 3 mm

meat mincer

Isselbaecher
kitchen equipment GmbH

	1 disc 13 mm execution : stainless steel
XS 132 dreiphasig Un 	meat mincer, UNGER-System Isselbaecher XS 132 Dimensions : 930 x 515 x 1080 mm connection : 2,2 kW - 400/3/50 floor model capacity kg/min : approx. 25 capacity kg/hr : approx. 1500 disc diameter 98 mm 1 cutting set Unger-system, 5 pcs. 1 pre-cutter 2 blades 1 disc 3 mm 1 disc 13 mm execution : stainless steel
XS 132 einphasig Ung 	meat mincer, UNGER-System Isselbaecher XS 132 Dimensions : 930 x 515 x 1080 mm connection : 2,0 kW - 230/1/50 floor model capacity kg/min : approx. 25 capacity kg/hr : approx. 1500 disc diameter 98 mm 1 cutting set Unger-system, 5 pcs. 1 pre-cutter 2 blades 1 disc 3 mm 1 disc 13 mm execution : stainless steel
MEW 510-2 	meat mincer, UNGER-System Isselbaecher MEW 510-2 Dimensions : 220 x 270 x 380 mm connection : 1,0 kW - 230/1/50 table model capacity kg/min: approx. 2,5 capacity kg/h: approx. 150 disc diameter : 70 mm 1 unger system, consisting of 3 parts execution : stainless steel
MEW 613-82/1 	meat mincer, UNGER-System Isselbaecher MEW 613-82/1 Dimensions : 270 x 300 x 440 mm connection : 1,5 kW - 230/1/50 table model capacity kg/min: approx. 6,5 capacity : kg(hrs. : approx. 400 diam. of perforated disc : 82 mm 1 unger system, consisting of 3 parts execution : stainless steel
MEW 613-82/2 	meat mincer, UNGER-System Isselbaecher MEW 613-82/2 Dimensions : 270 x 300 x 440 mm connection : 1,5 kW - 230/1/50 table model capacity kg/min: approx. 6,5 capacity : kg(hrs. : approx. 400 diam. of perforated disc : 82 mm 1 unger system, consisting of 5 parts execution : stainless steel

meat mincer

Isselbaecher
kitchen equipment GmbH

MEW 613-22



meat mincer - ENTERPRISE -System
Isselbaecher
MEW 613-22

Dimensions : 270 x 300 x 440 mm
connection : 1,5 kW - 230/1/50

table model
capacity kg/min: approx. 6,5
capacity : kg(hrs. : approx. 400
diam. of perforated disc : 82 mm
1 cutting set Enterprise
Longlife size 22 consisting of :

4-wing blade
perforated disc 3 mm

execution : stainless steel

MEW 619-98 T



meat mincer, UNGER-System
Isselbaecher
MEW 619-98 T

Dimensions : 474 x 535 x 820 mm
connection : 3,0 kW - 400/3/50

table model
capacity kg/min : approx. 17
capacity kg/hr : approx 1000
disc diameter 98 mm
1 cutting set Unger-system, 5 pcs.
1 pre-cutter
2 blades
1 disc 3 mm
1 disc 13 mm

execution : stainless steel

MEW 619-98



meat mincer, UNGER-System
Isselbaecher
MEW 619-98

Dimensions : 474 x 535 x 1200 mm
connection : 3,0 kW - 400/3/50

floor model
capacity kg/min : approx. 17
capacity kg/hr : approx 1000
disc diameter 98 mm
1 cutting set Unger-system, 5 pcs.
1 pre-cutter
2 blades
1 disc 3 mm
1 disc 13 mm

execution : stainless steel