

potatoe peeler

Isselbaecher
kitchen equipment GmbH

FP100 	potatoe peeler Isselbaecher FP100 Dimensions : 400 x 350 x 800 mm connection : 0,8 kW - 230/1/50 110/1/60 content : 10 kgs. capacity : 250 kgs./hr execution : stainless steel
FP101 	potatoe peeler Isselbaecher FP101 Dimensions : 400 x 350 x 800 mm connection : 0,8 kW - 400/3/50 230/3/60 content : 10 kgs. capacity : 250 kgs./hr execution : stainless steel
FP102 	potatoe peeler Isselbaecher FP102 Dimensions : 450 x 450 x 830 mm connection : 1,3 kW - 230/1/50-60 110/1/60 content : 15 kgs. capacity : 500 kgs./hr execution : stainless steel
FP103 	potatoe peeler Isselbaecher FP103 Dimensions : 450 x 450 x 830 mm connection : 1,3 kW - 400/3/50 230/3/60 content : 15 kgs. capacity : 500 kgs./hr execution : stainless steel
PE08-SG 	potatoe peeler Isselbaecher PE08-SG Dimensions : 520 x 600 x 1020 mm connection : 0,31 kW - 400/3/50 floor model content : 8 kgs. capacity : 200 kgs./hr kgs/hr. corborundum peeling system motor stops when lid is opened execution : housing and peeling chamber chrome stainless steel 18/9.
CEN-PE08/12 	salad drier CEN-PE08/12 execution : stainless steel

potatoe peeler

Isselbaecher
kitchen equipment GmbH

PG/CAR-PE08/12 	disc for carrots PG/CAR-PE08/12
PG/CIP-PE08/12 	cutting disc for onions PG/CIP-PE08/12
FIL 	peel collecting container FIL execution : stainless steel
PE12-SG 	potatoe peeler Isselbaecher PE12-SG Dimensions : 400 x 895 x 1070 mm connection : 0,31 kW - 400/3/50 floor model content : 12 kgs. capacity : 250 kgs./hr carborundum-peeling system motor stops when lid is opened execution : housing and peeling chamber chrome stainless steel 18/9.
CEN-PE08/12 	salad drier CEN-PE08/12 execution : stainless steel
PG/CAR-PE08/12 	disc for carrots PG/CAR-PE08/12

potatoe peeler

Isselbaecher
kitchen equipment GmbH

PG/CIP-PE08/12 	cutting disc for onions PG/CIP-PE08/12
FIL 	peel collecting container FIL execution : stainless steel
PE20-SG 	potatoe peeler Isselbaecher PE20-SG Dimensions : 710 x 830 x 1110 mm connection : 1,1 KW - 400/3/50 floor model content : 20 kgs. capacity : 500 kgs./hr kgs/hr. corborundum peeling system motor stops when lid is opened execution : housing and peeling chamber chrome stainless steel 18/9.
CEN-PE20/25 	salad drier CEN-PE20/25 execution : stainless steel
PG/CAR-PE20/25 	disc for carrots PG/CAR-PE20/25
PG/CIP-PE20/25 	cutting disc for onions PG/CIP-PE20/25

FIL 	peel collecting container FIL execution : stainless steel
AW K 4 	potatoe peeler Isselbaecher AW K 4 Dimensions : 680 x 680 x 400 mm connection : 0,37 KW - 400/3/50 - table mount type - content : 4 kgs. - for peeling and washing of root vegetable - drain on request, either right or left side accessories: 1 peeling basket 1 carrying disc 1 combi disc 1 clamping nut 1 water hose execution : stainless steel
524 000 0230 	combi. peeling disc 524 000 0230 steel circular hole or knife peeling
524 000 0235 	combi. peeling disc 524 000 0235 titanium coated circular hole or knife peeling
524 000 0240 	circular hole peeling disc 524 000 0240 no. 0 steel new potatoes with delicate skin
524 000 0241 	circular hole peeling disc 524 000 0241 Nr. 1 steel potatoes mainly with firm jacket firm meat

524 000 0242 	cyrclar hole peeling disc 524 000 0242 Nr. 1 titanium coated potatoes mainly with firm jacket firm meat
524 000 0250 	knife peeling disc 524 000 0250 steel knife peeling
524 000 0255 	knife peeling disc 524 000 0255 titanium coated knife peeling
524 000 0290 	washer disc 524 000 0290 only for washing
524 000 0280 	corund peeling disc 524 000 0280 for peeling of garlic
524 000 0211 	carrying disc 524 000 0211 for holding peeling disc

potatoe peeler

Isselbaecher
kitchen equipment GmbH

524 000 0200	peeling basket 524 000 0200 for washing and peeling
	
524 000 0300	drying basket 524 000 0300 for spinning of salad
	
AW K 85	potatoe peeler Isselbaecher AW K 85 Dimensions : 500 x 550 x 750 mm connection : 0,65 kW - 400/3/50 - floor mount type - content : 8 kgs. - for peeling and washing of root vegetable - with automatic gentle cycle draining accessories: 1 circular hole peeling insert 1 standard peel exit, left side 1 ea. circular hole peeling disc 0, 1, 2 execution : stainless steel
	
536 000 0850	circular hole peeling disc 536 000 0850 no. 0 new potatoes with delicate skin
536 000 0851	circular hole peeling disc 536 000 0851 Nr. 1 potatoes mainly with firm jacket firm meat
536 000 0852	circular hole peeling disc 536 000 0852 no. 2 limp potatoes (cause more waste)
536 000 0700	carrying disc 536 000 0700 for holding peeling disc
536 000 0720	circular hole peeling basket 536 000 0720 for peeling
536 000 0760	reversible knife blades 536 000 0760 for peeling
536 000 0750	knife peeling basket 536 000 0750 for peeling
534 000 0670	clamping nut 534 000 0670 for tightening of peeling disc

potatoe peeler

Isselbaecher
kitchen equipment GmbH

536 000 0805	washing basket 536 000 0805 for washing
534 000 0800	washer disc 534 000 0800 only for washing
536 000 0820	corund peeling disc 536 000 0820 for peeling
536 000 0830	corund peeling basket 536 000 0830 for peeling
537 000 0850	peel collecting container 537 000 0850 without sieve insert for holding peelings
537 000 0860	sieve insert 537 000 0860 steel for holding peelings
436 000 0755	reversible blade peeling insert 436 000 0755 with screws (253 100 3213) advice : screws are not included in supply package.
436 000 0730	cyrcular hole peeling disc 436 000 0730 with screws (253 100 3213) advice : screws are not included in supply package.
AW K 150 	potatoe peeler Isselbaecher AW K 150 Dimensions : 600 x 700 x 815 mm connection : 0,65 kW - 400/3/50 - floor mount type - content : 15 kgs. - for peeling and washing of root vegetable, with gentle cycle drainage accessories: 1 circular hole peeling insert 1 standard peel exit, left side 1 ea. circular hole peeling disc 0, 1, 2 execution : stainless steel
537 000 1500	cyrcular hole peeling disc 537 000 1500 no. 0 with K-diffuser
537 000 1501	cyrcular hole peeling disc 537 000 1501 Nr. 1 with K-diffuser
537 000 1502	cyrcular hole peeling disc 537 000 1502 no. 2 with K-diffuser
549 000 1500	cyrcular hole peeling disc 549 000 1500 no. 0 with A-diffuser
549 000 1501	cyrcular hole peeling disc 549 000 1501 Nr. 1 with A-diffuser
549 000 1502	cyrcular hole peeling disc 549 000 1502 no. 2 with A-diffuser

potatoe peeler

Isselbaecher
kitchen equipment GmbH

537 000 0700	carrying disc 537 000 0700 for holding peeling disc
537 000 0720	cyrcular hole peeling basket 537 000 0720 for peeling
537 000 0760	reversible knife blades 537 000 0760 for peeling
537 000 0670	clamping nut 537 000 0670 for tightening of peeling disc
537 000 0805	washing basket 537 000 0805 for washing
537 000 0800	washer disc 537 000 0800 only for washing
537 000 0820	corund peeling disc 537 000 0820 for peeling
537 000 0830	corund peeling basket 537 000 0830 for peeling
537 000 0850	peel collecting container 537 000 0850 without sieve insert for holding peelings
537 000 0860	sieve insert 537 000 0860 steel for holding peelings
436 000 0755	reversible blade peeling insert 436 000 0755 with screws (253 100 3213) advice : screws are not included in supply package.
436 000 0730	cyrcular hole peeling disc 436 000 0730 with screws (253 100 3213) advice : screws are not included in supply package.