


electric range

MEH 414



electric range
Isselbaecher
MEH 414

Dimensions : 800 x 856 x 900 mm
connection : 20,1 kW - 400/3/50


2 special cooking plates (325 x 645 mm) ea. with
2 individually adjustable heating zones

substructure : 1 roasting - and baking oven
538 x 695 x 300 mm
upper and lower heat

accessories : 1 baking sheet enamelled
1 roasting grid

execution : stainless steel

MEH 416



electric range
Isselbaecher
MEH 416

Dimensions : 800 x 856 x 900 mm
connection : 20,1 kW - 400/3/50


2 special cooking plates (325 x 645 mm) ea. with
2 individually adjustable heating zones

substructure : 1 dual roasting - and baking oven
538 x 695 x 300 mm
top- and bottom heat
convection air 6,0 kW

accessories : 1 baking sheet enamelled
1 roasting grid

execution : stainless steel

MEH 614



electric range
Isselbaecher
MEH 614

Dimensions : 1200 x 856 x 900 mm
connection : 27,1 kW - 40073/50


2 special cooking plates (325 x 645 mm) ea. with
2 individually adjustable heating zones

substructure : 1 roasting - and baking oven
538 x 695 x 300 mm
upper and lower heat
1 compartment with
hinged door

accessories : 1 baking sheet enamelled
1 roasting grid

execution : stainless steel

MEH 616



electric range
Isselbaecher
MEH 616

Dimensions : 1200 x 856 x 900 mm
connection : 27,1 kW - 40073/50

2 special cooking plates (325 x 645 mm) ea. with
2 individually adjustable heating zones

substructure : 1 dual roasting - and baking oven
538 x 695 x 300 mm
top- and bottom heat
convection air 6,0 kW
1 compartment with
hinged door

accessories : 1 baking sheet enamelled
1 roasting grid

execution : stainless steel

electric range

MEH 503



electric range
Isselbaecher
MEH 503

Dimensions : 800 x 856 x 900 mm
connection : 22,1 kW - 40073750


1 glass ceramic cooking plate
4 cooking zones 275 x 275 mm

substructure : 1 roasting - and baking oven
538 x 695 x 300 mm
upper and lower heat

accessories : 1 baking sheet enamelled
1 roasting grid
1 scraper

execution : stainless steel

MEH 503.110



electric range
Isselbaecher
MEH 503.110

Dimensions : 800 x 856 x 900 mm
connection : 22,1 kW - 40073750


1 glass ceramic cooking plate
648 x 688 mm
with pot detection
4 cooking zones 275 x 275 mm

substructure : 1 roasting - and baking oven
538 x 695 x 300 mm
upper and lower heat

accessories : 1 baking sheet enamelled
1 roasting grid
1 scraper

execution : stainless steel

MEH 505



electric range
Isselbaecher
MEH 505

Dimensions : 800 x 856 x 900 mm
connection : 24,1 kW - 400/3750


1 glass ceramic cooking plate
648 x 688 mm
4 cooking zones 275 x 275 mm

substructure : 1 dual roasting - and baking oven
538 x 695 x 300 mm
top- and bottom heat
convection air 6,0 kW

accessories : 1 baking sheet enamelled
1 roasting grid
1 scraper

execution : stainless steel

MEH 505.110



electric range
Isselbaecher
MEH 505.110




Dimensions : 800 x 856 x 900 mm
connection : 24,1 kW - 400/3750

1 glass ceramic cooking plate
648 x 688 mm
with pot detection
4 cooking zones 275 x 275 mm

substructure : 1 dual roasting - and baking oven
538 x 695 x 300 mm
top- and bottom heat
convection air 6,0 kW


accessories : 1 baking sheet enamelled
1 roasting grid
1 scraper

electric range

	<p>execution : stainless steel</p>
<p>MEH 703</p> 	<p>electric range Isselbaecher MEH 703</p> <p>Dimensions : 1200 x 856 x 900 mm connection : 30,1 kW - 400/3750</p> <p>1 glass ceramic cooking plate 948 x 688 mm 4 cooking zones 275 x 275 mm</p> <p>substructure : 1 roasting - and baking oven 538 x 695 x 300 mm upper and lower heat 1 compartment with hinged door</p> <p>accessories : 1 baking sheet enamelled 1 roasting grid 1 scraper</p> <p>execution : stainless steel</p>
<p>MEH 703.110</p> 	<p>electric range Isselbaecher MEH 703.110</p> <p>Dimensions : 1200 x 856 x 900 mm connection : 30,1 kW - 400/3750</p> <p>1 glass ceramic cooking plate 948 x 688 mm with pot detection 4 cooking zones 275 x 275 mm</p> <p>substructure : 1 roasting - and baking oven 538 x 695 x 300 mm upper and lower heat 1 compartment with hinged door</p> <p>accessories : 1 baking sheet enamelled 1 roasting grid 1 scraper</p> <p>execution : stainless steel</p>
<p>MEH 705</p> 	<p>electric range Isselbaecher MEH 705</p> <p>Dimensions : 1200 x 856 x 900 mm connection : 32,1 kW - 400/3750</p> <p>1 glass ceramic cooking plate 948 x 688 mm 6 cooking zones 275 x 275 mm</p> <p>substructure : 1 dual roasting - and baking oven 538 x 695 x 300 mm top- and bottom heat convection air 6,0 kW 1 compartment with hinged door</p> <p>accessories : 1 baking sheet enamelled 1 roasting grid 1 scraper</p> <p>execution : stainless steel</p>

electric range

MEH 705.110



electric range
Isselbaecher
MEH 705.110

Dimensions : 1200 x 856 x 900 mm
connection : 32,1 kW - 400/3/50


1 glass ceramic cooking plate
948 x 688 mm
with pot detection
6 cooking zones 275 x 275 mm

substructure : 1 dual roasting - and baking oven
538 x 695 x 300 mm
top- and bottom heat
convection air 6,0 kW
1 compartment with
hinged door

accessories : 1 baking sheet enamelled
1 roasting grid
1 scraper

execution : stainless steel

MEH 443



electric range
Isselbaecher
MEH 443

Dimensions : 800 x 856 x 900 mm
connection : 20,1 kW - 400/3/50


1 large cooking top (369 x 645 mm) with
4 individually adjustable cooking zones

substructure : 1 roasting - and baking oven
538 x 695 x 300 mm
upper and lower heat

accessories : 1 baking sheet enamelled
1 roasting grid

execution : stainless steel

MEH 445



electric range
Isselbaecher
MEH 445

Dimensions : 800 x 856 x 900 mm
connection : 20,1 kW - 400/3/50

1 large cooking top (690 x 645 mm) with
4 individually adjustable cooking zones

substructure : 1 dual roasting - and baking oven
538 x 695 x 300 mm
top- and bottom heat
convection air 6,0 kW

accessories : 1 baking sheet enamelled
1 roasting grid

execution : stainless steel