

gas range

Isselbaecher
kitchen equipment GmbH

74/02CGG 	gas range Isselbaecher 74/02CGG Dimensions : 800 x 700 x 900 mm connection : gas 26,2 kW 4 open burners substructure : 1 gas baking oven execution : stainless steel
74/02CGE 	gas range Isselbaecher 74/02CGE Dimensions : 800 x 700 x 900 mm connection : gas 18,2 kW elt. : 5,5 kW - 400/3/50 4 open burners substructure : 1 electric baking oven execution : stainless steel
76/02CGFL 	gas range Isselbaecher 76/02CGFL Dimensions : 1200 x 700 x 900 mm connection : gas 35,3 kW 6 open burners substructure : 1 gas-baking-oven execution : stainless steel
76/02CGG 	gas range Isselbaecher 76/02CGG Dimensions : 1200 x 700 x 900 mm connection : gas 35,2 kW 6 open burners substructure : 1 gas-baking-oven 1 cupboard with door execution : stainless steel
76/02CGGE 	gas range Isselbaecher 76/02CGGE Dimensions : 1200 x 700 x 900 mm connection : gas 35,2 kW elt. : 0,42 kW - 230/1/50 6 open burners substructure : 1 gas-baking-oven 1 heated cupboard execution : stainless steel
76/02CGE 	gas range Isselbaecher 76/02CGE Dimensions : 1200 x 700 x 900 mm connection . gas 27,3 kW elt. : 5,5 kW - 400/3/50 6 open burners substructure : 1 elt.-baking-oven 1 cupboard with door execution : stainless steel

gas range

Isselbaecher
kitchen equipment GmbH

76/02CGEE 	gas range Isselbaecher 76/02CGEE Dimensions : 1200 x 700 x 900 mm connection : gas 27,3 kW elt. : 5,92 kW - 400/3/50 6 open burners substructure : 1 elt.-baking-oven 1 heated cupboard execution : stainless steel
74/02CTGG 	gas-solid top range Isselbaecher 74/02CTGG Dimensions : 800 x 700 x 900 mm connection : gas 20 kW 1 solid hot top cast iron w. Piezo-ignition substructure : 1 gas baking oven execution : stainless steel
74/02CTGG2F 	gas-solid top range Isselbaecher 74/02CTGG2F Dimensions : 800 x 700 x 900 mm connection : gas 24,67 kW 1 solid hot top cast iron and 2 open burners w. Piezo-ignition substructure : 1 gas baking oven execution : stainless steel
74/02CTGE 	gas-solid top range Isselbaecher 74/02CTGE Dimensions : 800 x 700 x 900 mm connection : gas 12,1 kW elt. : 5,5 kW - 400/3/50 1 solid hot top cast iron w. Piezo-ignition substructure : 1 electric baking oven execution : stainless steel
76/02CTGG 	gas-solid top range Isselbaecher 76/02CTGG Dimensions : 1200 x 700 x 900 mm connection : gas 29,1 kW 1 solid hot top cast iron and 2 open burners w. Piezo-ignition substructure : 1 gas baking oven execution : stainless steel

gas range

Isselbaecher
kitchen equipment GmbH

76/02CTGG4F



gas-solid top range
Isselbaecher
76/02CTGG4F

Dimensions : 1200 x 700 x 900 mm
connection : gas 35,9 kW

1 solid hot top cast iron
and 4 open burners
w. Piezo-ignition

substructure : 1 gas baking oven
1 neutral cupboard

execution : stainless steel

76/02CTGGE



gas-solid top range
Isselbaecher
76/02CTGGE

Dimensions : 1200 x 700 x 900 mm
connection : gas 29,1 kW
elt. : 0,42 kW - 230/1/50

1 solid hot top cast iron
and 2 open burners
w. Piezo-ignition

substructure : 1 gas baking oven
1 heated cabinet

execution : stainless steel