







gas range

<p>92/04CG</p> 	<p>gas range Isselbaecher 92/04CG</p> <p>Dimensions : 400 x 900 x 900 mm connection : gas 10,5 kW</p> <ul style="list-style-type: none"> - 2 open cooking places - piezo ignition <p>substructure: open with back wall</p> <p>execution : stainless steel</p>
<p>92/04CGP</p> 	<p>gas range Isselbaecher 92/04CGP</p> <p>Dimensions : 400 x 900 x 900 mm connection : gas 20,0 kW</p> <ul style="list-style-type: none"> - with reinforced heating - 2 open cooking places - piezo ignition <p>substructure: open with back wall</p> <p>execution : stainless steel</p>
<p>94/04CG</p> 	<p>gas range Isselbaecher 94/04CG</p> <p>Dimensions : 800 x 900 x 900 mm connection : gas 21,7 kW</p> <ul style="list-style-type: none"> - 4 open burners - piezo ignition <p>substructure: open with back wall</p> <p>execution : stainless steel</p>
<p>94/04CGP</p> 	<p>gas range Isselbaecher 94/04CGP</p> <p>Dimensions : 800 x 900 x 900 mm connection : gas 40,0 kW</p> <ul style="list-style-type: none"> - with reinforced heating - 4 open burners - piezo ignition <p>substructure: open with back wall</p> <p>execution : stainless steel</p>
<p>94/04CG</p> 	<p>gas range Isselbaecher 94/04CG</p> <p>Dimensions : 800 x 900 x 900 mm connection : gas 21,7 kW</p> <ul style="list-style-type: none"> - 4 open burners - piezo ignition <p>substructure: open with back wall</p> <p>execution : stainless steel</p>
<p>96/04CGP</p> 	<p>gas range Isselbaecher 96/04CGP</p> <p>Dimensions : 1200 x 900 x 900 mm connection : gas 60,0 kW</p> <ul style="list-style-type: none"> - with reinforced heating - 6 open burners - piezo ignition <p>substructure: open with back wall</p> <p>execution : stainless steel</p>

gas range

<p>98/04CG</p> 	<p>gas range Isselbaecher 98/04CG</p> <p>Dimensions : 1600 x 900 x 900 mm connection : gas 43,4 kW</p> <ul style="list-style-type: none"> - 8 open cooking places - piezo ignition <p>substructure: open with back wall</p> <p>execution : stainless steel</p>
<p>98/04CGP</p> 	<p>gas range Isselbaecher 98/04CGP</p> <p>Dimensions : 1600 x 900 x 900 mm connection : gas 80,0 kW</p> <ul style="list-style-type: none"> - with reinforced heating - 8 open cooking places - piezo ignition <p>substructure: open with back wall</p> <p>execution : stainless steel</p>
<p>94/04CTG</p> 	<p>gas-solid top range Isselbaecher 94/04CTG</p> <p>Dimensions : 800 x 900 x 900 mm connection : gas 13 kW</p> <ul style="list-style-type: none"> - 1 solid top - piezo ignition <p>substructure: open with back wall</p> <p>execution : stainless steel</p>
<p>94/04CTGSS</p> 	<p>gas-solid top range Isselbaecher 94/04CTGSS</p> <p>Dimensions : 800 x 900 x 900 mm Anschlusswert: Gas 17,8 kW</p> <ul style="list-style-type: none"> - 1 solid top - 2 open cooking places - piezo ignition <p>substructure: open with back wall</p> <p>execution : stainless steel</p>
<p>96/04CTG(sx)</p> 	<p>gas-solid top range Isselbaecher 96/04CTG(sx)</p> <p>Dimensions : 1200 x 900 x 900 mm connection : gas 23,5 kW</p> <ul style="list-style-type: none"> - 1 solid top - 2 open cooking places left-hand side - piezo ignition <p>substructure: open with back wall</p> <p>execution : stainless steel</p>
<p>96/04CTG(dx)</p> 	<p>gas-solid top range Isselbaecher 96/04CTG(dx)</p> <p>Dimensions : 1200 x 900 x 900 mm connection : gas 23,5 kW</p> <ul style="list-style-type: none"> - 1 solid top - 2 open cooking places right-hand side - piezo ignition <p>substructure: open with back wall</p> <p>execution : stainless steel</p>

98/04CTG



gas-solid top range
Isselbaecher
98/04CTG

Dimensions : 1600 x 900 x 900 mm
connection : gas 34,0 kW

- 1 solid top
- ea. 2 open burners at left hand side and
at right hand side
- piezo ignition

substructure: open with back wall

execution : stainless steel