


REFRIGERATED TABLES 600 DEEP

Isselbaecher
kitchen equipment GmbH

KTAR 02/600



REFRIGERATED TABLES 600 DEEP
Isselbaecher
KTAR 02/600 - Algeo

Dimensions : 1392 x 600 x 850 mm
connection : 0,25 kW - 230/1/50

table top made of stainless steel
substructure:
consisting of 2 compartments GN 1/1:
- with hinged doors
- 1 cooling machine - right side

content : 211 ltrs.


temperature range : +0/+10°C

cooling machine incl. evaporator for
circulated air cooling with automatic
defrosting and thaw water evaporation

accessories : 2 pairs of supports
2 grids

execution :
interior and exterior stainless steel

KTAR 03/600



REFRIGERATED TABLES 600 DEEP
Isselbaecher
KTAR 03/600 - Algeo

Dimensions : 1856 x 600 x 850 mm
connection : 0,25 kW - 230/1/50

table top made of stainless steel
substructure:
consisting of 3 compartments :
- with hinged doors
- 1 cooling machine - right side

content : 316 ltrs.


temperature range : +0/+10°C

cooling machine incl. evaporator for
circulated air cooling with automatic
defrosting and thaw water evaporation

accessories : 3 pairs of rails
3 grids

execution :
interior and exterior stainless steel

KST 6/02 TN



REFRIGERATED TABLES 600 DEEP
Isselbaecher
KST 6/02 TN - Supreme

Dimensions : 1200 x 630 x 650 mm
connection : 0,34 kW - 230/1/50

table top made of stainless steel
substructure from left to right hand side,
consisting of 2 compartments GN 1/1:
- with hinged doors
- 1 cooling machine - right side

content : 140 ltrs.

temperature range : -2/+8°C





cooling machine incl. evaporator for
circulated air cooling with automatic
defrosting and thaw water evaporation

accessories : 1 pair of slides and
1 grid ea. compartment with door

execution :
interior and exterior stainless steel

REFRIGERATED TABLES 600 DEEP


Isselbaecher
kitchen equipment GmbH

<p>KST 6/03 TN</p> 	<p>REFRIGERATED TABLES 600 DEEP Isselbaecher KST 6/03 TN - Supreme</p> <p>Dimensions : 1600 x 630 x 650 mm connection : 0,34 kW - 230/1/50</p> <p>table top made of stainless steel substructure from left to right hand side, consisting of 3 compartments GN 1/1: - with hinged doors - 1 cooling machine - right side</p> <p>content : 220 ltrs. temperature range : -2/+8°C cooling machine incl. evaporator for circulated air cooling with automatic defrosting and thaw water evaporation accessories : 1 pair of slides and 1 grid ea. compartment with door</p> <p>execution : interior and exterior stainless steel</p>
<p>KST 6/04 TN</p> 	<p>REFRIGERATED TABLES 600 DEEP Isselbaecher KST 6/04 TN - Supreme</p> <p>Dimensions : 2000 x 630 x 650 mm connection : 0,45 kW - 230/1/50</p> <p>table top made of stainless steel substructure from left to right hand side, consisting of 4 compartments GN 1/1: - with hinged doors - 1 cooling machine - right side</p> <p>content : 300 ltrs. temperature range : -2/+8°C cooling machine incl. evaporator for circulated air cooling with automatic defrosting and thaw water evaporation accessories : 1 pair of slides and 1 grid ea. compartment with door</p> <p>execution : interior and exterior stainless steel</p>
<p>OLKST 6/02 TN</p> 	<p>refrigerated table Isselbaecher OLKST 6/02 TN</p> <p>Dimensions : 1200 x 630 x 610 mm connection : 0,2 kW - 230/1/50</p> <p>table top made of stainless steel substructure from left to right hand side, - 2 compartments with hinged doors - 1 compartment with cooling machine</p> <p>temperature range : 0° - 10° C</p> <p>execution : interior and exterior stainless steel</p>
<p>OLKST 6/02 TN 2xOLCR</p> 	<p>refrigerated table Isselbaecher OLKST6/02/TN/2xOLCR 21</p> <p>Dimensions : 1200 x 600 x 610 mm connection : 0,2 kW - 230/1/50</p> <p>table top made of stainless steel substructure from left to right hand side, - 2 compartments with 2 drawers - 1 compartment with cooling machine</p> <p>temperature range : 0° - 10° C</p> <p>execution : interior and exterior stainless steel</p>

REFRIGERATED TABLES 600 DEEP

Isselbaecher
kitchen equipment GmbH

OLKST 6/03 TN



refrigerated table
Isselbaecher
OLKST 6/03 TN


Dimensions : 1600 x 630 x 610 mm
connection : 0,365 kW - 230/1/50

table top made of stainless steel
substructure from left to right hand side,
- 3 compartments with hinged doors
- 1 compartment with cooling machine

temperature range : 0° - 10° C

execution :
interior and exterior stainless steel

OLKST 6/03 TN - OLCR



refrigerated table
Isselbaecher
OLKST 6/03 TN/OLCR 21


Dimensions : 1600 x 630 x 610 mm
connection : 0,2 kW - 230/1/50

table top made of stainless steel
substructure from left to right hand side,
- 2 compartments with hinged doors
- 1 department with 2 drawers
- 1 compartment with cooling machine

temperature range : 0° - 10° C

execution :
interior and exterior stainless steel

OLKST 6/04 TN



refrigerated table
Isselbaecher
OLKST 6/04 TN

Dimensions : 2000 x 630 x 610 mm
connection : 0,692 kW - 230/1/50

table top made of stainless steel
substructure from left to right hand side,
- 4 compartments with hinged doors
- 1 compartment with cooling machine

temperature range : 0° - 10° C

execution :
interior and exterior stainless steel