

FKU 1800



refrigerator
Isselbaecher
FKU 1800

Dimensions : 600 x 600 x 850 mm
connection : 0,12 kW - 230/1/50

- content : 180 ltrs.
- static cooling
- temperature adjustable : +2/+11°C
- automatic defrost with thaw water evaporation
- with 3 height adjustable wire shelves
- undercounter/- can be built in due to lift of table top and air exchange at front site
- lockable door

execution : housing white lacquered

FKU 1805



refrigerator
Isselbaecher
FKU 1805

Dimensions : 600 x 600 x 850 mm
connection : 0,10 kW - 230/1/50

- content : 180 ltrs.
- static cooling
- temperature adjustable : +2/+11°C
- automatic defrost with thaw water evaporation
- with 3 height adjustable wire shelves
- undercounter/- can be built in due to lift of table top and air exchange at front site
- lockable door

execution : housing white lacquered
front s/s

FKS 1802



refrigerator
Isselbaecher
FKS 1802

Dimensions : 600 x 600 x 885 mm
connection : 0,13 kW - 230/1/50

- content : 180 ltrs.
- static cooling
- temperature adjustable : +2/+10°C
- automatic defrost with thaw water evaporation
- with 3 height adjustable wire shelves
- lockable glass door

execution : housing white lacquered

FKS 3600



refrigerator
Isselbaecher
FKS 3600

Dimensions : 600 x 600 x 1590 mm
connection : 0,15 kW - 230/1/50

- content : 360 ltrs.
- static cooling
- temperature adjustable : +2/+12°C
- automatic defrost with thaw water evaporation
- with 5 height adjustable wire shelves
- lockable door

execution : housing white lacquered

FKS 2602



refrigerator
Isselbaecher
FKS 2602

Dimensions : 600 x 600 x 1216 mm
connection : 0,15 kW - 230/1/50

- content : 260 ltrs.
- static cooling
- temperature adjustable : +2/+10°C
- automatic defrost
with thaw water evaporation
- with 4 height adjustable wire shelves
- lockable glass door
- inside with light

execution : housing white lacquered

FKS 5000



refrigerator
Isselbaecher
FKS 5000

Dimensions : 755 x 710 x 1516 mm
connection : 0,15 kW - 230/1/50

- content : 500 ltrs.
- static cooling
- temperature adjustable : +2/+12°C
- automatic defrost
with thaw water evaporation
- with 5 height adjustable wire shelves
- lockable door

execution : housing white lacquered

FKS 3602



refrigerator
Isselbaecher
FKS 3602

Dimensions : 600 x 600 x 1590 mm
connection : 0,17 KW - 230/1/50

- content : 360 ltrs.
- static cooling
- temperature adjustable : +2/+10°C
- automatic defrost
with thaw water evaporation
- with 5 height adjustable wire shelves
- lockable glass door
- inside with light

execution : housing white lacquered

FKS 5002



refrigerator
Isselbaecher
FKS 5002

Dimensions : 752 x 710 x 1516 mm
connection : 0,17 KW - 230/1/50

- content : 500 ltrs.
- static cooling
- temperature adjustable : +2/+10°C
- automatic defrost
with thaw water evaporation
- with 5 height adjustable wire shelves
- lockable glass door
- inside with light

execution : housing white lacquered

UKS 1801



refrigerator
Liebherr
UKS 1801-20

Dimensions : 600 x 600 x 885 mm
connection : 0,17 KW - 230/1/50

- content : 174 ltrs.
- forced air cooling
- temperature adjustable : +0/+15°C
- automatic defrost with
thaw water evaporation
- with 3 height adjustable wire shelves
- lockable glass door

execution : housing white lacquered

UKU 1805

refrigerator
Isselbaecher
UKU 1805

Dimensions : 600 x 600 x 850 mm
connection : 0,10 kW - 23071/50

- content : 180 ltrs.
- forced air cooling
- temperature adjustable : +0/+15°C
- automatic defrost with thaw water evaporation
- with 3 height adjustable wire shelves
- undercounter/- can be built in due to lift of table top and air exchange at front site
- lockable door

execution : housing white lacquered
front s/s

UKU 1852

refrigerator
Isselbaecher
UKU 1852

Dimensions : 600 x 600 x 850 mm
connection : 0,12 kW - 230/1/50

- content : 180 ltrs.
- forced air cooling
- temperature adjustable : +2/+11°C
- automatic defrost with thaw water evaporation
- with 3 height adjustable wire shelves
- undercounter/- can be built in due to lift of table top and air exchange at front site
- lockable glass door
- inside with light

execution : s/s housing
inside silver coloured plastics

FKVSL 4112

refrigerator
Isselbaecher
FKVSL 4112

Dimensions : 600 x 610 x 1800 mm
connection : 0,18 KW - 230/1/50

- content : 365 ltrs
- forced air cooling
- temperature adjustable : +2/+15°C
- automatic defrost with thaw water evaporation
- with 5 height adjustable wire shelves
- lockable glass door
- inside with light

execution : housing executed in silver