

GWUes 1753



wine refrigerator - undercounter
Isselbaecher
GWUes 1753 - Vinidor

Dimensions : 600 x 580 x 820 mm
connection : 0,14 kW - 230/1/50

- undercounter wine refrigerator for presentation and open bottles
- content : 144 ltrs.
- for max. 36 bordeaux-bottles
- 1 temperature zone
- temperature : +5°C/+20°C
- fresh air intake by active carbon filter
- 1 glass door lockable
- tinted insulated glazing
- 2 storage levels, 1 pull-out shelf for upright standing bottles
- innovative LED interior light concept for each temperature zone with only minimized heat development
- electronic control system
- in case of failure optical and audible alert

execution : stainless steel

GWTes 4577



wine cooler
Isselbaecher
GWTes 4577 - Vinidor

Dimensions : 660 x 671 x 1855 mm
connection : 0,14 kW - 230/1/50

- wine cabinet for presentation and opened bottles
- content : 442 ltrs.
- for max. 121 bordeaux-bottles
- 2 storage zones, temperature individually adjustable from +5°C - +20°C
- fresh air intake by active carbon filter
- 1 glass door lockable
- 8 storage levels, 5 of these wooden grids on telescopic rails, 2 pull-out shelves for upright standing bottles
- innovative LED interior light concept for each temperature zone with only minimized heat development
- in case of failure optical and audible alert

execution : stainless steel

GWTes 4677



wine cooler
Isselbaecher
GWTes 4677 - Vinidor

Dimensions : 660 x 671 x 1855 mm
connection : 0,14 kW - 230/1/50

- wine cabinet for presentation and opened bottles
- content : 442 ltrs.
- for max. 117 bordeaux-bottles
- 3 storage zones, temperature individually adjustable from +5°C - +20°C
- fresh air intake by active carbon filter
- 1 glass door lockable
- 8 storage levels, 5 of these wooden grids on telescopic rails, 1 pull-out shelf for upright standing bottles
- 1 presentation shelf
- innovative LED interior light concept for each temperature zone with only minimized heat development
- in case of failure optical and audible alert

execution : stainless steel

GWT 4577



wine cooler
Isselbaecher
GWT 4577 - Vinidor

Dimensions : 660 x 671 x 1855 mm
connection : 0,14 kW - 230/1/50

- wine cabinet for presentation and opened bottles
- content : 442 ltrs.
- for max. 121 bordeaux-bottles
- 2 storage zones, temperature individually adjustable from +5°C - +20°C
- fresh air intake by active charbon filter
- 1 glass door lockable
- 8 storage slevels, 5 of these wooden grids on telescopic rails, 2 pull-out shelves for upright standing bottles
- innovative LED interior light concept for each temperature zone with only minimized heat development
- in case of failure optical and audible alert

execution :
housing : tinto lacquerd

GWT 4677



wine cooler
Isselbaecher
GWT 4677 - Vinidor

Dimensions : 660 x 671 x 1855 mm
connection : 0,14 kW - 230/1/50

- wine cabinet for presentation and opened bottles
- content : 442 ltrs.
- for max. 117 bordeaux-bottles
- 3 storage zones, temperature individually adjustable from +5°C - +20°C
- fresh air intake by active charbon filter
- 1 glass door lockable
- 8 storage slevels, 5 of these wooden grids on telescopic rails, 1 pull-out shelf for upright standing bottles
- 1 presentation shelf
- innovative LED interior light concept for each temperature zone with only minimized heat development
- in case of failure optical and audible alert

execution :
housing : tinto lacquerd

WTUes 1653



wine cooler
Isselbaecher
WTUes 1653 Vinidor

Dimensions : 600 x 480 x 820 mm
connection : 0,2 kW - 230/1/50

- undercounter model
- content : 127 ltrs.
- for max. 38 bordeaux-bottles
- temperature : +5°C/+20°C
- 2 temperature zones
- fresh air intake by active charbon filter
- 1 glass door lockable
- tintet insolated glazing
- innovative LED interior light concept for each temperature zone with only minimized heat development
- automatic defrosting and thaw water evaporation
- MaicEye with digital temperature display
- 5 storage levels with 3 wooden grids
- in case of failure optical and audible alert

	execution : silver coloured
WTes 1753 	wine cooler Isselbaecher WTes 1753 Vinidor Dimensions : 597 x 586 x 850 mm connection : 0,2 kW - 230/1/50 - content : 136 ltrs. - for max. 40 bordeaux-bottles - temperature : +5°C/+20°C - 2 temperature zones - fresh air intake by active charbon filter - 1 glass door lockable - tintet insolated glazing - innovative LED interior light concept for each temperature zone with only minimized heat development - automatic defrosting and thaw water evaporation - electronic control system - 6 storage levels with 4 wooden grids - in case of failure optical and audible alert execution : s/s housing
WTes 4677 	wine cooler Isselbaecher WTes 4677 Vinidor Dimensions : 660 x 671 x 1855 mm connection : 0,2 kW - 230/1/50 - content : 422 ltrs. - for max. 143 bordeaux-bottles - temperature : +5°C/+20°C - 3 temperature zones - fresh air intake by active charbon filter - 1 glass door lockable - tintet insolated glazing - innovative LED interior light concept for each temperature zone with only minimized heat development - automatic defrosting and thaw water evaporation - electronic control system - 13 storage levels with 10 wooden grids - in case of failure optical and audible alert execution : s/s housing
WTes 4177 	wine cooler Isselbaecher WTes 4177 GrandCru Dimensions : 660 x 671 x 1644 mm connection : 0,14 kW - 230/1/50 - content : 409 ltrs. - for max. 173 bordeaux-bottles - temperature : +5°C/+18°C - 6 temperature zones - fresh air intake by active charbon filter - interior lightning - 1 glass door lockable - tintet insolated glazing - automatic defrosting and thaw water evaporation - electronic control system - 6 storage levels with 5 wooden grids - in case of failure optical and audible alert execution : s/s housing

WTes 4176



wine cooler
Isselbaecher
WTes 4176 GrandCru

Dimensions : 660 x 671 x 1658 mm
connection : 0,14 kW - 230/1/50

- content : 396 ltrs.
- for max. 173 bordeaux-bottles
- temperature : +5°C/+18°C
- 6 temperature zones
- fresh air intake by active charbon filter
- interior lightning
- 1 full door, lockable
- automatic defrosting and thaw water evaporation
- electronic control system
- 6 storage levels with 5 wooden grids
- in case of failure optical and audible alert

execution : housing stainless steel

WT 4177



wine cooler
Isselbaecher
WTes 4177 GrandCru

Dimensions : 660 x 671 x 1644 mm
connection : 0,14 kW - 230/1/50

- content : 409 ltrs.
- for max. 173 bordeaux-bottles
- temperature : +5°C/+18°C
- 6 temperature zones
- fresh air intake by active charbon filter
- interior lightning
- 1 glass door lockable
- tinted insulated glazing
- automatic defrosting and thaw water evaporation
- electronic control system
- 6 storage levels with 5 wooden grids
- in case of failure optical and audible alert

execution : s/s housing

WT 4176



wine cooler
Isselbaecher
WT 4176 GrandCru

Dimensions : 660 x 671 x 1644 mm
connection : 0,14 kW - 230/1/50

- content : 401 ltrs.
- for max. 182 bordeaux-bottles
- temperature : +5°C/+18°C
- 6 temperature zones
- fresh air intake by active charbon filter
- interior lightning
- 1 full door, lockable
- automatic defrosting and thaw water evaporation
- electronic control system
- 6 storage levels with 5 wooden grids
- in case of failure optical and audible alert

execution :
housing : tinto lacquered

WKes 4177



wine climatic cabinet
Isselbaecher
WKes 4177 GranCru

Dimensions : 660 x 671 x 1420 mm
connection : 0,14 kW - 230/1/50

- content : 403 ltrs.
- for max. 162 bordeaux-bottles
- temperature : +5°C/+22°C
- 1 temperature zone
- fresh air intake by active charbon filter
- interior lightning
- 1 glass door lockable
- tintet insolated glazing
- 5 wooden grids, 1 bottom shelf
- automatic defrosting and thaw water evaporation
- electronic control system
- in case of failure optival and audible alert

execution : s/s housing

WKes 4176



wine climatic cabinet
Isselbaecher
WKes 4176 GranCru

Dimensions : 660 x 671 x 1465 mm
connection : 0,12 kW - 230/1/50

- content : 390 ltrs.
- for max. 114 bordeaux-bottles
- temperature : +5°C/+20°C
- 1 temperature zone
- fresh air intake by active charbon filter
- interior lightning
- 1 full door, lockable
- 5 wooden grids, 1 bottom shelf
- automatic defrosting and thaw water evaporation
- electronic control system
- in case of failure optical and audible alert

execution : s/s housing

WK 1853



wine climatic cabinet
Isselbaecher
WK 1853 GrandCru

Dimensions : 597 x 586 x 850 mm
connection : 0,15 kW - 230/1/50

- undercounter wine refrigerator, for suitable for long period storage
- content : 153 ltrs.
- for max. 59 bordeaux-bottles
- temperature : +5°C/+20°C
- 1 temperature zone
- fresh air intake by active charbon filter
- interior lightning
- 1 glass door
- tintet insolated glazing
- automatic defrosting and thaw water evaporation
- electronic control system
- 4 storage levels with 3 cink plated grids
- in case of failure optical and audible alert

execution :
housing : tinto lacquerd

WK 2977



wine climatic cabinet
Isselbaecher
WK 2977 GrandCru

Dimensions : 660 x 671 x 1264 mm
connection : 0,15 kW - 230/1/50

- content : 285 ltrs.
- for max. 108 bordeaux-bottles
- temperature : +5°C/+20°C
- 1 temperature zone
- fresh air intake by active charbon filter
- 1 glass door lockable
- tintet insolated glazing
- 4 wooden shelves, 1 bottom shelf
- automatic defrost and thaw water evaporation
- electronic control system
- in case of failure optical and audible alert

execution :
housing : tinto lacquerd

WK 4177



wine climatic cabinet
Isselbaecher
WK 4177 GrandCru

Dimensions : 660 x 671 x 1658 mm
connection : 0,15 kW - 230/1/50

- content : 403 ltrs.
- for max. 162 bordeaux-bottles
- temperature : +5°C/+20°C
- 1 temperature zone
- fresh air intake by active charbon filter
- 1 glass door lockable
- tintet insolated glazing
- 5 wooden grids, 1 bottom shelf
- automatic defrost and thaw water evaporation
- electronic control system
- in case of failure optical and audible alert

execution :
housing : tinto lacquerd

WK 4677



wine climatic cabinet
Isselbaecher
WK 4677 GrandCru

Dimensions : 660 x 671 x 1855 mm
connection : 0,15 kW - 230/1/50

- content : 456 ltrs.
- for max. 187 bordeaux-bottles
- temperature : +5°C/+20°C
- 1 temperature zone
- fresh air intake by active charbon filter
- 1 glass door lockable
- tintet insolated glazing
- 6 wooden grids, 1 bottom sheöf
- automatic defrost and thaw water evaporation
- electronic control system
- in case of failure optical and audible alert

execution :
housing : tinto lacquerd

WK 2976



wine climatic cabinet
Isselbaecher
WK 2976 GrandCru

Dimensions : 660 x 671 x 1250 mm
connection : 0,4 kW - 230/1/50

- content : 281 ltrs.
- for max. 114 bordeaux-bottles
- temperature : +5°C/+20°C
- 1 temperature zone
- fresh air intake by active charbon filter
- interior lightning
- 1 full door, lockable
- 4 wooden shelves, 1 bottom shelf
- automatic defrosting and thaw water evaporation
- electronic control system
- in case of failure optical and audible alert

execution :
housing : tinto lacquerd

WK 4176



wine climatic cabinet
Isselbaecher
WK 4176 GranCru

Dimensions : 660 x 671 x 1644 mm
connection : 0,13 kW - 230/1/50

- content : 395 ltrs.
- for max. 168 bordeaux-bottles
- temperature : +5°C/+22°C
- 1 temperature zone
- fresh air intake by active charbon filter
- 1 full door, lockable
- 5 wooden grids, 1 bottom shelf
- automatic defrosting and thaw water evaporation
- electronic control system
- in case of failure optical and audible alert

execution :
housing : tinto lacquerd

WK 4676



wine climatic cabinet
Isselbaecher
WK 4676 GranCru

Dimensions : 660 x 671 x 1841 mm
connection : 0,13 kW - 230/1/50

- content : 456 ltrs.
- for max. 193 bordeaux-bottles
- temperature : +5°C/+22°C
- 1 temperature zone
- fresh air intake by active charbon filter
- 1 full door, lockable
- 6 wooden grids, 1 bottom shelf
- automatic defrosting and thaw water evaporation
- electronic control system
- in case of failure optical and audible alert

execution :
housing : tinto lacquerd

WK 1802




wine climatic cabinet
Isselbaecher
WK 1802 Vinothek

Dimensions : 600 x 605 x 889 mm
connection : 0,1 kW - 230/1/50

- content : 174 ltrs.
- for max. 68 bordeaux-bottles
- temperature : +5°C/+20°C
- 1 temperature zone
- fresh air intake by active charbon filter
- 1 glass door lockable

wine cooling cabinet

Isselbaecher
kitchen equipment GmbH

	- 3 grids, cink plated, 1 bottom grid - automatic defrosting and thaw water evaporation - mechanical control execution : housing : tinto lacquerd
WK 1806 	wine climatic cabinet Isselbaecher WK 1806 Vinothek Dimensions : 600 x 606 x 889 mm connection : 0,1 kW - 230/1/50 - content : 174 ltrs. - for max. 68 bordeaux-bottles - temperature : +5°C/+20°C - 1 temperature zone - fresh air intake by active charbon filter - 1 full door, lockable - 3 grids, cink plated, 1 bottom grid - automatic defrosting and thaw water evaporation - mechanical control execution : housing : tinto lacquerd
WK 5700 	wine climatic cabinet Isselbaecher WK 5700 Vinothek Dimensions : 750 x 710 x 1708 mm connection : 0,4 kW - 230/1/50 - content : 560 ltrs. - for max. 213 bordeaux-bottles - temperature : +5°C/+20°C - 1 temperature zone - fresh air intake by active charbon filter - 1 full door, lockable - 6 grids, cink plates, 1 bottom shelf - automatic defrosting and thaw water evaporation - mechanical control execution : housing : tinto lacquerd
VN80 	wine cooling cabinet Isselbaecher VN 80 Dimensions : 830 x 480 x 1900 mm connection : 0,77 kW - 230/1/50 - capacity : 120 bottles - made of solid wood - temperatur adjustable +6/+12°C - interior light - door lockable - cooling machine can be pulled out execution : walnut
VR80 	wine cooling cabinet Isselbaecher VR 80 Dimensions : 830 x 480 x 1900 mm connection : 0,77 kW - 230/1/50 - capacity : 120 bottles - made of solid wood - temperatur adjustable +6/+12°C - interior light - door lockable - cooling machine can be pulled out execution : oak