

table scale

Isselbaecher
kitchen equipment GmbH

SC 1 	table scale Isselbaecher SC 1 Dimensions : 290 x 145 x 450 mm inclined scale max. weight : 1 kg scale division:1 g execution : housing made of stainless steel platform stainless steel
SC 2/1 	table scale Isselbaecher SC 2/1 * Dimensions : 290 x 145 x 450 mm inclined scale max. weight : 2 kg scale division: 1 g execution : housing made of stainless steel platform stainless steel
SC 2/2 	table scale Isselbaecher SC 2/2 Dimensions : 290 x 145 x 450 mm inclined scale max. weight : 2 kg scale division:2 g execution : housing made of stainless steel platform stainless steel
SC 3/2 	table scale Isselbaecher SC 3/2 * Dimensions : 290 x 145 x 450 mm inclined scale max. weight : 3 kg scale division:2 g execution : housing made of stainless steel platform stainless steel
SC 05 	table scale Isselbaecher SC 05 Dimensions : 290 x 145 x 450 mm inclined scale max. weight : 1 kg scale division : 0,5 g execution : housing made of stainless steel platform stainless steel
GM-100/3 	table scale Isselbaecher GM-100/3 Dimensions : 290 x 430 x 730 mm round head scale max. weight : 3 kg scale division: 1 g platform size : 340 x 310 mm execution : stainless steel

table scale

Isselbaecher
kitchen equipment GmbH

GM-100/5 	table scale Isselbaecher GM-100/5 Dimensions : 290 x 430 x 730 mm round head scale max. weight : 5 kg scale division: 2 g platform size : 310 x 340 mm execution : stainless steel
GM-100/9 	table scale Isselbaecher GM-100/9 Dimensions : 290 x 430 x 730 mm round head scale max. weight : 9 kg scale division: 5 g platform size : 310 x 340 mm execution : stainless steel
GM-100/10 	table scale Isselbaecher GM-100/10 Dimensions : 290 x 430 x 730 mm round head scale max. weight : 10 kg scale division: 5 g platform size : 340 x 310 mm execution : stainless steel
GM-100/15 	table scale Isselbaecher GM-100/15 Dimensions : 290 x 430 x 730 mm round head scale max. weight : 15 kg scale division: 5 g platform size : 340 x 310 mm execution : stainless steel
GM-100/20 	table scale Isselbaecher GM-100/20 Dimensions : 290 x 430 x 730 mm round head scale max. weight : 20 kg scale division: 5 g platform size : 340 x 310 mm execution : stainless steel
GM-100/24 	table scale Isselbaecher GM-100/24 Dimensions : 290 x 430 x 730 mm round head scale max. weight : 24 kg scale division: 5 g platform size : 340 x 310 mm execution : stainless steel

table scale

Isselbaecher
kitchen equipment GmbH

GM-100/30 	table scale Isselbaecher GM-100/30 Dimensions : 290 x 430 x 730 mm round head scale max. weigh : 30 kg scale division: 10 g platform size : 340 x 310 mm execution : stainless steel
8131.01.001 	electronic table scale Isselbaecher 8131.01.001 Dimensions : 210 x 160 x 25 mm LCD-display 1 key-operation platform size : 160 x 160 mm weighing range : 0 - 5 kg cypher steps : 1 g battery driven execution : housing made of plastics weighing platform made of s/s
7755.02.002 	electronic table scale Isselbaecher 7755.02.002 connection : - 230/1/50 with display 100 x 200 x 50 mm LCD-liquid crystal display platform size : 310 x 275 x 35 mm weighing range : 0 - 15 kg cypher step : 5 g main- and battery operation execution : housing enamelled weighing platform made of stainless steel
7755.03.002 	electronic table scale Isselbaecher 7755.05.002 connection : - 230/1/50 with display 100 x 200 x 50 mm LCD-liquid crystal display platform size : 310 x 275 x 35 mm weighing range : 0 - 30 kg cypher steps : 10 g main- and battery operation execution : housing enamelled weighing platform made of stainless steel
7755.05.002 	electronic table scale Isselbaecher 7755.05.002 connection : - 230/1/50 with display 100 x 200 x 50 mm LCD-liquid crystal display platform size : 310 x 275 x 35 mm weighing range : 0 - 60 kg cypher steps : 20 g main- and battery operation execution : housing enamelled weighing platform made of stainless steel

7744.50.002



electronic table scale
Isselbaecher
7744.50.002

Dimensions : 345 x 330 x 110 mm
connection : - 230/1/50

compact weighing scale
LCD-liquid crystal display
platform size : 310 x 275 mm
weighing range : 0 - 50 kg
cypher steps : 20 g
mains operated

execution :
housing made of plastics
weighing platform made of s/s

940/3



electronic table scale
Isselbaecher
940/3

- LCD display, 4 digits
- height of cyphers 14 mm
- automatic switch-off
- 3 push buttons

platform size : 190 x 210 mm
weighing range : 0 - 3 kg
cypher steps : 1 g

function of batteries independent of net

execution :
housing made of ABS plastic
drip water protection
platform stainless steel

940/6



electronic table scale
Isselbaecher
940/6

- LCD display, 4 digits
- height of cyphers 14 mm
- automatic switch-off
- 3 push buttons

platform size : 190 x 210 mm
weighing range : 0 - 6 kg
cypher steps : 2 g

function of batteries independent of net

execution : housing executed in
ABS-plastic,
drip water protection
weighing platform made of stainless steel

940/15



electronic table scale
Isselbaecher
940/15

- LCD display, 4 digits
- height of cyphers 14 mm
- automatic switch-off
- 3 push buttons

platform size : 190 x 210 mm
weighing range : 0 - 15 kg
cypher step : 5 g

function of batteries independent of net

execution :
housing made of ABS plastic
drip water protection
weighing platform made of stainless steel

920/6



electronic table scale
Isselbaecher
920/6

- LCD-display, 7 digits
- height of cyphers 17 mm
- automatic switch-off
- keypad with acoustical reverting signal

platfor size : 240 x 200 mm
weighing range : 0 - 6 kg
cypher steps : 0,5 g
network-independant battery operation

execution :
housing made of ABS plastic
drip water protected, weighing platf.
made of stainless steel

920/15



electronic table scale
Isselbaecher
920/15

- LCD-display, 7 digits
- height of cyphers 17 mm
- automatic switch-off
- keypad with acoustical reverting signal

platfor size : 240 x 200 mm
weighing range : 0 - 15 kg
cypher steps : 1 g
network-independant battery operation

execution :
housing made of ABS plastic
drip water protected, weighing platf.
made of stainless steel

920/30



electronic table scale
Isselbaecher
920/30

- LCD-display, 7 digits
- height of cyphers 17 mm
- automatic switch-off
- keypad with acoustical reverting signal

platfor size : 240 x 200 mm
weighing range : 0 - 30 kg
cypher steps : 10 g
network-independant battery operation

execution :
housing made of ABS plastic
drip water protected, weighing platf.
made of stainless steel

320/6



electronic table scale
Isselbaecher
320/6

- LCD-display, 7 digits
- height of cyphers 17 mm
- automatic switch-off
- keypad with acoustical reverting signal
- calibratable

platform size : 240 x 200 mm
weighing range : 0 - 6 kg
cypher steps : 2 g
network-independant battery operation

execution :
housing made of ABS plastic
drip water protected, weighing platf.
made of stainless steel

320/15 	electronic table scale Isselbaecher 320/15 - LCD-display, 7 digits - height of cyphers 17 mm - automatic switch-off - keypad with acoustical reverting signal - calibratable platform size : 240 x 200 mm weighing range : 0 - 15 kg cypher step : 5 g network-independant battery operation execution : housing made of ABS plastic drip water protected, weighing platf. made of stainless steel
320/30 	electronic table scale Isselbaecher 320/30 - LCD-display, 7 digits - height of cyphers 17 mm - automatic switch-off - keypad with acoustical reverting signal - calibratable platform size : 240 x 200 mm weighing range : 0 - 30 kg cypher steps : 10 g network-independant battery operation execution : housing made of ABS plastic drip water protected, weighing platf. made of stainless steel
341/3 	electronic table scale Isselbaecher 341/3 connection : 0,0015 kW - 230/1/50-60 - LCD display, 5 digits - height of cyphers 25 mm - keypad with acoustical reverting signal - battery operation - calibratable accessories: adapter platform size : 230 x 230 mm weighing range : 0 - 3 kg weighing range : 0,02 - 3 kg cypher steps : 2 g execution : housing executed in ABS-plastics, drip-water protected weighing platform made of stainless steel
341/6 	electronic table scale Isselbaecher 341/6 connection : 0,0015 kW - 230/1/50-60 - LCD display, 5 digits - height of cyphers 25 mm - keypad with acoustical reverting signal - battery operation - calibratable accessories: adapter platform size : 230 x 230 mm weighing range : 0 - 6 kg weighing range : 0,04 - 6 kg cypher step : 5 g execution : housing executed in

	ABS-plastics, drip-water protected weighing platform made of stainless steel
341/15 	electronic table scale Isselbaecher 341/15 connection : 0,0015 kW - 230/1/50-60 - LCD display, 5 digits - height of cyphers 25 mm - keypad with acoustical reverting signal - battery operation - calibratable accessories: adapter platform size : 230 x 230 mm weighing range : 0 - 15 kg weighing range : 0,1 - 15 kg cypher steps : 10 g execution : housing executed in ABS-plastics, drip-water protected weighing platform made of stainless steel
942/30 	electronic table scale Isselbaecher 942/30 connection : 0,0015 kW - 230/1/50-60 - LCD display, 4-5 digits - height of cyphers 25 mm - keypad with acoustical reverting signal platform size : 320 x 290 mm weighing range : 0 - 30 kg cypher steps : 20 g execution : housing executed in ABS-plastic, weighing platform made of stainless steel
942/60 	electronic table scale Isselbaecher 942/60/1 connection : 0,0015 kW - 230/1/50-60 - LCD display, 4-5 digits - height of cyphers 25 mm - keypad with accustical reverting signal platform size : 320 x 290 mm weighing range : 0 - 60 kg cypher step : 50 g execution : housing executed in ABS-plastic, weighing platform made of stainless steel
943/60 	electronic table scale Isselbaecher 943/60 connection : 0,0015 kW - 230/1/50-60 - LCD display, 4 digits - height of cyphers 25 mm - keypad with acoustical reverting signal - net-adapter acc: power connection adapter platform size : 530 x 430 mm weighing range : 0 - 60 kg weighing range : 1 - 60 kg cypher steps : 5 g execution : housing executed in ABS-plastic,

	weighing platform made of stainless steel
943/150 	electronic table scale Isselbaecher 943/150 connection : 0,0015 kW - 230/1/50-60 - LCD display, 4 digits - height of cyphers 25 mm - keypad with acoustical reverting signal - battery operation acc: power connection adapter platform size : 530 x 430 mm weighing range : 0 - 150 kg weighing range: 2 - 150 kg cypher steps : 20 g execution : housing executed in ABS-plastic, weighing platform made of stainless steel
832B/15-Aqua68-HACCP 	electronic table scale Isselbaecher 832B/15-Aqua68-HACCP connection : 0,004 kW - 230/1/50 - table top scale with s/s stand - separate display + control panel - calibratable - weighing cell acc. to protection level IP68 - construction acc. to HACCP acc: power connection adapter platform size : 350 x 280 mm weighing range : 0 - 15 kg cypher steps : 0 - 6 kg/2 g 6 - 15 kg/5 g execution: CNS