

vegetable cutter


Isselbaecher
kitchen equipment GmbH

DYNACOUPE 	manual vegetable cutter Isselbaecher DYNACOUPE Dimensions : 400 x 450 x 260 mm with handle and stomper to take cutting discs execution : plastics
DYNACUBE 	cube cutter manual Isselbaecher DYNACUBE Dimensions : 440 x 480 x 330 mm with 2 cutting grids and 1 knife blade cutting length: 8 x 8 mm with handle and stomper execution : plastics
G11-230 	vegetable cutter Isselbaecher 541903 G11 (230 Volt) Dimensions : 240 x 610 x 480 mm connection : 0,75 kW - 230/1/50 table top with safety cut-off capacity depends on selected disc 100 - 400 kgs/h motor protection switch, 1,5 m cable, exit disc housing: stainless steel/aluminium
G11-400 	vegetable cutter Isselbaecher 541914 G11 (400 Volt) Dimensions : 240 x 610 x 480 mm connection : 0,75 kW - 400/3/50 table top with safety cut-off capacity depends on selected disc 100 - 400 kgs/h motor protection switch, 1,5 m cable, exit disc housing: stainless steel/aluminium
BS 	bundle cutting disc 541943 0 - 10 mm adjustable graduation for wave cut
FS10 	fine cutting disc 10 mm 541930 vertical knives in distance of 4mm, horizontal knife bar 0-10 mm adjustable

vegetable cutter

Isselbaecher
kitchen equipment GmbH

FS2x2



fine cutting disc 2x2mm
541928

GS10



rough cut disc 10 mm
541931
vertikal knives in distance of 8mm,
horizontal knife bar 0-10 mm
adjustable

KRB



crown disc KRB
541942
for grating raw potatoes

KronenP



crown disc P
541940
friction disc -fine-
for garint of dry bread
parmesan cheese, nuts etc.

RS23



grating disc 2,3 mm
541935
hole diam. 2,3 mm

RS30



grating disc 3 mm
541936
hole diam. 3,0 mm

RS50



grating disc 5 mm
541937
hole diam 5,0 mm

RS70

grating disc 7 mm
541938
hole diam 7,0 mm

Scheiben9mm

slice cutting disc 9 mm
541925

SM0 - 10

crescent knife disc 0-10 mm
541920

SM5

crescent knife disc 5 mm
541921
with toothed knife

WL4 - G11

wall batten WL 4
541951
- made of stainless steel
for 4 discs

WL6 - G11

wall batten WL 6
541950
- made of stainless steel
for 6 discs

CHEF 300


 vegetable cutter
 Isselbaecher
 CHEF 300 TR

 Dimensions : 570 x 240 x 470 mm
 connection : 0,31 kW - 400/3/50

machine without plates

 execution : stainless steel and
 Aluminium anodized

B 6+E6


 stripe cutter 6 x 6 mm
 B6+E6
 cutting size 6 x 6 mm

B 8+E8


 stripe cutter 8 x 8 mm
 B8+E8
 cutting size 8 x 8 mm

D10x10+E10


 cube cutter 10 x 10 mm
 D10x10+E10
 cutting size 10 x 10 x 10 mm

D12x12+E10


 cube cutter 12 x 12 mm
 D12x12+E10
 cutting size 12 x 12 x 10 mm

D20x20+E14


 cube cutter 20 x 20 mm
 D20x20+E14
 cutting size 20 x 20 x 14 mm

D8x8+E8


 cube cutter 8 x 8 mm
 D8x8+E8
 cutting size 8 x 8 x 8 mm

DHR - CHEF

disc holder
DHR
- for 8 discs

E 10

rough cut disc 10 mm
E 10
cutting size 10 mm

E 14

rough cut disc 14 mm
E 14
cutting size 14 mm

E 1S

crescent knife disc 1 mm
E 1S
cutting size 1 mm,
for hard products

E 2

fine cutting disc 2 mm
E 2
cutting size 2 mm

E 2S

crescent knife disc 2 mm
E 2S
cutting size 2 mm
for hard products

E 3

fine cutting disc 3mm
E 3
cutting size 3 mm

E 30

wave cutting disc 3 mm
E 30
cutting size 3 mm

E 4

fine cutting disc 4 mm
E 4
cutting size 4 mm

E 40

wave cutting disc 4 mm
E 40
cutting size 4 mm

E 5

crescent knife disc 5 mm
E 5
cutting size 5 mm
for sensitive and smooth products

E 6

rough cut disc 6 mm
E 6
cutting size 6 mm

E 60

wave cutting disc 6 mm
E 60
cutting size 6 mm

E 8

rough cut disc 8 mm
E 8
cutting size 8 mm

H 10

julienne-disc 10 x 10 mm
H 10
cutting size 10 x 10 mm

H 2,5

julienne-disc 2,5 x 2,5 mm
H 2,5
cutting size 2,5 x 2,5 mm

H 4

julienne disc 4 x 4 mm
H 4
cutting size 4 x 4 mm

H 6

julienne-disc 6 x 6 mm
H 6
cutting size 6 x 6 mm

H 8

julienne-disc 8 x 8 mm
H 8
cutting size 8 x 8 mm

vegetable cutter		Isselbaecher kitchen equipment GmbH
Z 2 	grating disc 2 mm Z 2 cutting size 2 mm	
Z 3 	grating disc 3 mm Z 3 cutting size 3 mm	
Z 4 	grating disc 4 mm Z 4 cutting size 4 mm	
Z 7 	grating disc 7 mm Z 7 cutting size 7 mm	
CHEF 400 	vegetable cutter Isselbaecher CHEF 400 TR Dimensions : 570 x 240 x 470 mm connection : 0,6 kW-400/3/50 machine without plates execution : stainless steel and Aluminium anodized	
B 10+E10-400 	stripe cutter 10 x 10 mm B10+E10 cutting size 10 x 10 mm	
B 6+E6-400 	stripe cutter 6 x 6 mm B6+E6 cutting size 6 x 6 mm	

B 8+E8-400

stripe cutter 8 x 8 mm
B8+E8
cutting size 8 x 8 mm

D10x10+E10-400

cube cutter 10 x 10 mm
D10x10+E10
cutting size 10 x 10 x 10 mm

D12x12+E10-400

cube cutter 12 x 12 mm
D12x12+E10
cutting size 12 x 12 x 10 mm

D20x20+E14-400

cube cutter 20 x 20 mm
D20x20+E14
cutting size 20 x 20 x 14 mm

D8x8+E8-400

cube cutter 8 x 8 mm
D8x8+E8
cutting size 8 x 8 x 8 mm

DHR-CHEF 400

disc holder
DHR
- for 8 discs

E 1-400 	fine cutting disc 1 mm E 1 cutting size 1 mm
E 10-400 	rough cut disc 10 mm E 10 cutting size 10 mm
E 14-400 	rough cut disc 14 mm E 14 cutting size 14 mm
E 1S-400 	crescent knife disc 1 mm E 1S cutting size 1 mm, for hard products
E 2-400 	fine cutting disc 2 mm E 2 cutting size 2 mm
E 2S-400 	crescent knife disc 2 mm E 2S cutting size 2 mm for hard products
E 3-400 	fine cutting disc 3mm E 3 cutting size 3 mm

E 30-400

wave cutting disc 3 mm
E 30
cutting size 3 mm

E 4-400

fine cutting disc 4 mm
E 4
cutting size 4 mm

E 40-400

wave cutting disc 4 mm
E 40
cutting size 4 mm

E 5-400

crescent knife disc 5 mm
E 5
cutting size 5 mm
for sensitive and smooth products

E 6-400

rough cut disc 6 mm
E 6
cutting size 6 mm

E 60-400

wave cutting disc 6 mm
E 60
cutting size 6 mm

E 8-400

rough cut disc 8 mm
E 8
cutting size 8 mm

H 10-400

julienne-disc 10 x 10 mm
H 10
cutting size 10 x 10 mm

H 2,5-400

julienne-disc 2,5 x 2,5 mm
H 2,5
cutting size 2,5 x 2,5 mm

H 4-400

julienne disc 4 x 4 mm
H 4
cutting size 4 x 4 mm

H 6-400

julienne-disc 6 x 6 mm
H 6
cutting size 6 x 6 mm

H 8-400

julienne-disc 8 x 8 mm
H 8
cutting size 8 x 8 mm

Z 2-400

grating disc 2 mm
Z 2
cutting size 2 mm

vegetable cutter		Isselbaecher kitchen equipment GmbH
Z 3-400 	grating disc 3 mm Z 3 cutting size 3 mm	
Z 4-400 	grating disc 4 mm Z 4 cutting size 4 mm	
Z 7-400 	grating disc 7 mm Z 7 cutting size 7 mm	
CL 30 	vegetable cutter Isselbaecher CL 30 Dimensions : 320 x 304 x 590 mm connection : 0,5 kW - 230/1/50 machine without plates execution: ABS	
1946 	set of discs 1946 disc set consisting of : - slicing disc 2 mm - slicing disc 4 mm - grating disc 2 mm - julienne disc 4 x 4 mm - julienne disc 8 x 8 mm	
CL 50 	vegetable cutter Isselbaecher CL 50 Dimensions : 350 x 320 x 590 mm connection : 0,55 KW - 230/1/50 machine without plates execution: motor block made of Polycarbonate, bowl made of metal	

1933 	set of discs 1933 disc set consisting of : - slicing disc 2 mm - slicing disc 5 mm - grating disc 2 mm - julienne disc 3 x 3 mm - dicing set : cutting disc 10 mm + cube gate 10 x 10 mm - french fry set : 2 discs 10 x 10 mm
CL 52 	vegetable cutter Isselbaecher CL 52 Dimensions : 350 x 360 x 640 mm connection : 0,75 kW - 400/3/50 machine without plates execution : motor block made of stainless steel bowls made of aluminium
1933 	set of discs 1933 disc set consisting of : - slicing disc 2 mm - slicing disc 5 mm - grating disc 2 mm - julienne disc 3 x 3 mm - dicing set : cutting disc 10 mm + cube gate 10 x 10 mm - french fry set : 2 discs 10 x 10 mm
CL 55 	vegetable cutter Isselbaecher CL 55 Dimensions : 380 x 320 x 920 mm connection : 1,1 KW - 400/3/50 - machine without discs - lever arm execution : motor block made of stainless steel bowls made of aluminium
1943 	set of discs 1943 disc set consisting of : - slicing disc 2 mm - slicing disc 5 mm - grating disc 2 mm - julienne disc 3 x 3 mm - julienne disc 4 x 4 mm - dicing set : cutting disc 10 mm + cube gate 10 x 10 mm
CL 60 	vegetable cutter Isselbaecher CL 60 Dimensions : 600 x 720 x 1225 mm connection : 1,5 KW -400/3/50 - machine without discs - automatic feed hopper execution : motor block made of stainless steel bowls made of steel

1943 	set of discs 1943 disc set consisting of : - slicing disc 2 mm - slicing disc 5 mm - grating disc 2 mm - julienne disc 3 x 3 mm - julienne disc 4 x 4 mm - dicing set : cutting disc 10 mm + cube gate 10 x 10 mm
27019 	disc holder 27019 - for 6 slices
RG-50/24710 	vegetable cutter Isselbaecher RG-50/24710 Dimensions : 350 x 405 x 585 mm connection : 0,25 kW - 230/1/50 machine housing, pusher plate, cutting chamber, discharge chute made of aluminium thermal protection against overloading, 2 incorporated safety- switches machine with 3 discs : - fine cutting disc 2 mm (84051) - fine cutting disc 4 mm (84052) - grating disc 4,5 mm (84059) execution: light metal
RG-100 	vegetable cutter Isselbaecher RG-100 Dimensions : 223 x 425 x 495 mm connection : 0,25 kW - 230/1/50 machine housing, pusher plate, cutting chamber, discharge chute made of aluminium thermal protection against overloading, 2 incorporated safety- switches machine without plates execution: light metal
310/316/211-RG 100 	cutting knife set, 3 parts 83310/83316/83211 consisting of: 1 fine cutting disc 1,5 mm (83310) 1 fine cutting disc 4,0 mm (83316) 1 grating disc 2 mm(83211) 1 wall rack for holding 3 discs

vegetable cutter

Isselbaecher
kitchen equipment GmbH

310/316/211/304/267/ 	cutting knife set, 6 parts 310/316/211/304/267/330 consisting of: 1 fine cutting disc 1,5 mm (83310) 1 fine cutting disc 4,0 mm (83316) 1 grating disc 2 mm(83211) 1 standard disc 10 mm (83304) 1 dicing plate 10 x 10 mm (83267) 1 julienne disc 4,5 x 4,5 mm (83330) 2 wall racks for holding 3 discs ea.
60137 - RG 100	disc holder 60137 2 stands for holding 3 slices (wall-mounted)
RG - 200 	vegetable cutter Isselbaecher RG-200 Dimensions : 215 x 475 x 636 mm connection : 0,37 kW - 230/1/50 machine housing, pusher plate, cutting chamber, discharge chute made of aluminium thermal protection against overloading, 2 incorporated safety- switches machine without plates execution: light metal
420/426/204 - RG 200 	cutting knife set, 3 parts 82420/82426/82204 consisting of: 1 fine cutting disc 1,5 mm (82420) 1 fine cutting disc 4,0 mm (82426) 1 grating disc 2 mm 1 wall rack for holding 3 discs
420/426/204/406/452/ 	cutting knife set, 6 parts 420/426/204/406/452/440 consisting of: 1 fine cutting disc 1,5 mm (82420) 1 fine cutting disc 4,0 mm (82426) 1 grating disc 2 mm 1 standard disc 10 mm (82406) 1 dicing plate 10 x 10 mm (82452) 1 julienne disc 4,5 x 4,5 mm (82440) 2 wall racks for holding 3 discs ea.
60137 - RG 200	disc holder 60137 2 stands for holding 3 slices (wall-mounted)
RG - 350 	vegetable cutter Isselbaecher RG-350 Dimensions : 340 x 555 x 600 mm connection : 0,75 kW - 400/3/50 machine housing, pusher plate, cutting chamber, discharge chute made of aluminium c/w filling cylinder and manual pusher thermal protection against overloading, 2 incorporated safety- switches machine without plates execution: light metal

25200 - RG 350	base frame 25200 - incl. 1 GN- container 1/1-100 heat resistant polypropene execution : stainless steel
40721 - RG 350 	storage trolley 40721 - with handle - casters with brakes - height adjustable Polycarbonat-container GN 1/1-200 execution : stainless steel
502/506/508/486/542/ 	cutting disc set, 9 pcs. 502/506/508/486/542/524- consisting of: 1 fine cutting disc 2,0 mm (62502) 1 fine cutting disc 4,0 mm (62506) 1 fine cutting disc 6,0 mm (62508) 1 standard disc 10 mm (62486) 1 dicing plate 10 x 10 mm (62542) 1 julienne disc 4,5 x 4,5 mm (62524) 1 grating disc 2 mm (62533) 1 grating disc 8 mm (62537) 1 grating disc -fine-(62538) 3 wall racks, (60137)
RG-400-33329 	vegetable cutter Isselbaecher RG-400 Dimensions : 700 x 715 x 1210 mm connection : 1,5/0,9 kW - 400/3/50 - capacity : 10 - 40 kg/min. - suitable for 500 - 3000 meals/day - speed : 400/200 rpm - power transmission : gear drive - machine exterior, filling cylinder anodized aluminium or stainless steel - machine completely with filling hopper type A
3035 	filling cylinder type B 3035 - for manual, pneumatic pressure attachment for 4-hole attachment - based on large volume (7l) and 200 mm diam. it is possible to use cylinder with larger quantities and hole products to be filled at same time
33330 	4 hole attachment 33330 - to be used with filling cylinder 3035 - for continous cutting of cucumbers, leek, tomatoes or citrus fruit

33331



manuel pressure support
33331
- for fast and comfortable
cutting of cabbage, cheese, salad,
carrots and other products
which need pushing

3208



accessory trolley
3208
Dimensions : 860 x 535 x 1060 mm
- for holding and transport
of accessory parts
- 3 levels
- with 4 swivel casters,
2 with brakes

execution : stainless steel

40721



storage trolley
40721
Dimensions : 700 x 535 x 600 mm
- with handle
- casters with brakes
- height adjustable
Polycarbonat-container GN 1/1-200

execution : stainless steel

Schneidscheibensatz



cutting disc set, 9 pcs.
9-Pack
consisting of:

1 fine cutting disc 2,0 mm (62502)
1 fine cutting disc 4,0 mm (62506)
1 fine cutting disc 6,0 mm (62508)
1 standard disc 10 mm (62486)
1 dicing plate 10 x 10 mm
(62542)
1 julienne disc 4,5 x 4,5 mm (62524)
1 grating disc 2 mm (62533)
1 grating disc 8 mm (62537)
1 grating disc - fein (62538)
3 wall racks, (60137)