

Turbover



vegetable washer
Isselbaecher
Turbover

Dimensions : 550 x 550 x 910 mm
connection : 0,7 kW - 230/1/50

- drum capacity: 90 ltrs.
- washing cycle: 2 - 3 min.

capacity :

- light vegetable : 80 - 120 kgs
- heavy vegetable : 300 - 450 kgs
- fruit : 300 - 450 kgs

execution : stainless steel

Turboidrex



vegetable washer
Isselbaecher
Turboidrex

Dimensions : 1000 x 600 x 850 mm
connection : 1,0 kW - 230/1/50

with spinn drying mode

- drum capacity : 85 ltrs.
- washing cycle: 2 - 3 min.

capacity :

- light vegetable : 80 - 120 kgs
- heavy vegetable : 300 - 450 kgs
- fruit : 300 - 450 kgs
- basket speed : 750 rpm

execution : stainless steel

Atir III



vegetable washer
Isselbaecher
Atir III

Dimensions : 800 x 880 x 955 mm
connection : 0,47 kW - 400/3/50

- drum capacity: 160 ltrs.
- washing cycle: 2 - 3 min.

capacity :

- light vegetable : 100 - 150 kgs
- heavy vegetable : 400 - 600 kgs
- fruit : 400 - 600 kgs

execution : stainless steel

Atir II



vegetable washer
Isselbaecher
Atir II

Dimensions : 1115 x 995 x 1030 mm
connection : 1,45 kW - 400/3/50

- drum capacity: 300 ltrs.
- washing cycle: 2 - 3 min.

capacity :

- light vegetable : 180 - 270 kgs
- heavy vegetable : 700 - 1050 kgs
- fruit : 700 - 1050 kgs

execution : stainless steel

Atir II-K



vegetable washer
Isselbaecher
ATIR II-K 65

Dimensions : 1140 x 1090 x 1075 mm
connection : 1,4 kW - 230/1/50

tiltable of pans by means of
hydraulic separate controllable piston

- drum capacity: 300 ltrs.
- washing cycle: 2 - 3 min.

capacity :

- light vegetable : 180 - 270 kgs
- heavy vegetable : 700 - 1050 kgs
- fruit : 700 - 1050 kgs

execution : stainless steel

Atir I



vegetable washer
Isselbaecher
Atir I

Dimensions : 1115 x 1100 x 1150 mm
connection : 1,85 kW - 400/3/50

- drum capacity: 600 ltrs.
- washing cycle: 2 - 3 min.

capacity :

- light vegetable : 320 - 480 kgs
- heavy vegetable : 1400 - 2100 kgs
- fruit : 700 - 1050 kgs

execution : stainless steel

Atir I-K



vegetable washer
Isselbaecher
ATIR I-K

Dimensions : 1570 x 1100 x 1150 mm
connection : 1,85 kW - 400/3/50

tiltable of pans by means of
hydraulic separate controllable piston

- drum capacity: 600 ltrs.
- washing cycle: 2 - 3 min.

capacity :

- light vegetable : 320 - 480 kgs
- heavy vegetable : 1400 - 2100 kgs
- fruit : 1400 - 2100 kgs

execution : stainless steel

Atirmatic



continious vegetable washer
Isselbaecher
ATIRMATIC

Dimensions : 3000 x 1000 x 1730 mm
connection : 4 KW - 400/3/50

- drum capacity: 500 ltrs.

capacity :

- light vegetable : 400 kg
- heavy vegetable : 800 kgs
- 2 washing phases
- wash tank with 5 water nozzles
und sieve bottom
- belt operation gear driven

execution: stainless steel

LVA 100 B



vegetable washer
Isselbaecher
LVA 100 B

Dimensions : 700 x 700 x 1000 mm
connection : 0,9 kW - 400/3/50

- for wahing and spin drying
- 1 manuel, 3 automatic washing cycles
- loading capacity/cycle
23 kgs light vegetable or
6 kgs heavy vegetable
- basket speed : 400 rpm

execution :
housing, lid and removable
baket made of s/s

SWA 75D compact



salad and vegetable washer
Isselbaecher
SWA 75D compact

Dimensions : 1000 x 700 x 850 mm
connection : 1,1 kW - 230/1/50

- with digital controller
- program indication
- 99 programs
- self cleaning system
- c/w 1 basket

capacity :
- light vegetable : 50-100 kgs/hr.
- heavy vegetable : 150-300 kg/hr.
- drum speed : 60 rpm
- basket speed : 400 rpm

loading capacity :

- drum capacity: 90 ltrs.
- drum capacity: 6 ltrs.
- basket : 2-6 kgs light vegetable
:8-10 kgs heavy vegetable

execution : stainless steel

SWA 100 mega



salad and vegetable washer
Isselbaecher
SWA 100 mega

Dimensions : 1480 x 740 x 940 mm
connection : 1 kW - 230/1/50

capacity :

- light vegetable : 100-200 kgs/hr
- heavy vegetable : 250-400 kgs/hr
- drum speed : 50 rpm
- basket speed : 500 rpm

loading capacity :

- drum capacity : 300 ltrs.
- drum capacity : 180 ltrs.
- basket : 3-8 kgs light vegetable
15-20 kgs
heavy vegetable

execution : stainless steel